

## Section XV

## BASE METALS AND ARTICLES OF BASE METAL

**Notes.**

1. This Section does not cover:
  - (a) Prepared paints, inks or other products with a basis of metallic flakes or powder (headings 32.07 to 32.10, 32.12, 32.13 or 32.15);
  - (b) Ferro-cerium or other pyrophoric alloys (heading 36.06);
  - (c) Headgear or parts thereof of heading 65.06 or 65.07;
  - (d) Umbrella frames or other articles of heading 66.03;
  - (e) Goods of Chapter 71 (for example, precious metal alloys, base metal clad with precious metal, imitation jewellery);
  - (f) Articles of Section XVI (machinery, mechanical appliances and electrical goods);
  - (g) Assembled railway or tramway track (heading 86.08) or other articles of Section XVII (vehicles, ships and boats, aircraft);
  - (h) Instruments or apparatus of Section XVIII, including clock or watch springs;
  - (ij) Lead shot prepared for ammunition (heading 93.06) or other articles of Section XIX (arms and ammunition);
  - (k) Articles of Chapter 94 (for example, furniture, mattress supports, lamps and lighting fittings, illuminated signs, prefabricated buildings);
  - (l) Articles of Chapter 95 (for example, toys, games, sports requisites);
  - (m) Hand sieves, buttons, pens, pencil-holders, pen nibs or other articles of Chapter 96 (miscellaneous manufactured articles); or
  - (n) Articles of Chapter 97 (for example, works of art).
2. Throughout the Nomenclature, the expression "parts of general use" means:
  - (a) Articles of heading 73.07, 73.12, 73.15, 73.17 or 73.18 and similar articles of other base metal;
  - (b) Springs and leaves for springs, of base metal, other than clock or watch springs (heading 91.14); and
  - (c) Articles of headings 83.01, 83.02, 83.08, 83.10 and frames and mirrors, of base metal, of heading 83.06.

In Chapters 73 to 76 and 78 to 82 (but not in heading 73.15) references to parts of goods do not include references to parts of general use as defined above.

Subject to the preceding paragraph and to Note 1 to Chapter 83, the articles of Chapter 82 or 83 are excluded from Chapters 72 to 76 and 78 to 81.
3. Throughout the Nomenclature, the expression "base metals" means: iron and steel, copper, nickel, aluminum, lead, zinc, tin, tungsten (wolfram), molybdenum, tantalum, magnesium, cobalt, bismuth, cadmium, titanium, zirconium, antimony, manganese, beryllium, chromium, germanium, vanadium, gallium, hafnium, indium, niobium (columbium), rhenium and thallium.
4. Throughout the Nomenclature, the term "cermets" means products containing a microscopic heterogeneous combination of a metallic component and a ceramic component. The term "cermets" includes sintered metal carbides (metal carbides sintered with a metal).

5. Classification of alloys (other than ferro-alloys and master alloys as defined in Chapters 72 and 74):

- (a) An alloy of base metals is to be classified as an alloy of the metal which predominates by weight over each of the other metals;
- (b) An alloy composed of base metals of this Section and of elements not falling within this Section is to be treated as an alloy of base metals of this Section if the total weight of such metals equals or exceeds the total weight of the other elements present;
- (c) In this Section the term "alloys" includes sintered mixtures of metal powders, heterogeneous intimate mixtures obtained by melting (other than cermets) and intermetallic compounds.

6. Unless the context otherwise requires, any reference in the Nomenclature to a base metal includes a reference to alloys which, by virtue of Note 5 above, are to be classified as alloys of that metal.

7. Classification of composite articles:

Except where the headings otherwise require, articles of base metal (including articles of mixed materials treated as articles of base metal under the Interpretative Rules) containing two or more base metals are to be treated as articles of the base metal predominating by weight over each of the other metals. For this purpose:

- (a) Iron and steel, or different kinds of iron or steel, are regarded as one and the same metal;
- (b) An alloy is regarded as being entirely composed of that metal as an alloy of which, by virtue of Note 5, it is classified; and
- (c) A cermet of heading 81.13 is regarded as a single base metal.

8. In this Section, the following expressions have the meanings hereby assigned to them:

(a) **Waste and scrap**

Metal waste and scrap from the manufacture or mechanical working of metals, and metal goods definitely not usable as such because of breakage, cutting-up, wear or other reasons.

(b) **Powders**

Products of which 90% or more by weight passes through a sieve having a mesh aperture of 1 mm.

**Supplementary Note.**

- 1. Unless the context otherwise requires, the expression "diameter", when applied to tubes and pipes, refers to the actual internal diameter.

## Chapter 72

## IRON AND STEEL

**Notes.**

1. In this Chapter and, in the case of Notes (d), (e) and (f) throughout the Nomenclature, the following expressions have the meanings hereby assigned to them:

**(a) Pig iron**

Iron-carbon alloys not usefully malleable, containing more than 2% by weight of carbon and which may contain by weight one or more other elements within the following limits:

- not more than 10% of chromium
- not more than 6% of manganese
- not more than 3% of phosphorus
- not more than 8% of silicon
- a total of not more than 10% of other elements.

**(b) Spiegeleisen**

Iron-carbon alloys containing by weight more than 6% but not more than 30% of manganese and otherwise conforming to the specification at (a) above.

**(c) Ferro-alloys**

Alloys in pigs, blocks, lumps or similar primary forms, in forms obtained by continuous casting and also in granular or powder forms, whether or not agglomerated, commonly used as an additive in the manufacture of other alloys or as de-oxidants, de-sulphurizing agents or for similar uses in ferrous metallurgy and generally not usefully malleable, containing by weight 4% or more of the element iron and one or more of the following:

- more than 10% of chromium
- more than 30% of manganese
- more than 3% of phosphorus
- more than 8% of silicon
- a total of more than 10% of other elements, excluding carbon, subject to a maximum content of 10% in the case of copper.

**(d) Steel**

Ferrous materials other than those of heading 72.03 which (with the exception of certain types produced in the form of castings) are usefully malleable and which contain by weight 2% or less of carbon. However, chromium steels may contain higher proportions of carbon.

**(e) Stainless steel**

Alloy steels containing, by weight, 1.2% or less of carbon and 10.5% or more of chromium, with or without other elements.

**(f) Other alloy steel**

Steels not complying with the definition of stainless steel and containing by weight one or more of the following elements in the proportion shown:

- 0.3% or more of aluminum
- 0.0008% or more of boron
- 0.3% or more of chromium
- 0.3% or more of cobalt
- 0.4% or more of copper
- 0.4% or more of lead
- 1.65% or more of manganese
- 0.08% or more of molybdenum
- 0.3% or more of nickel
- 0.06% or more of niobium
- 0.6% or more of silicon
- 0.05% or more of titanium
- 0.3% or more of tungsten (wolfram)
- 0.1% or more of vanadium
- 0.05% or more of zirconium
- 0.1% or more of other elements (except sulphur, phosphorus, carbon and nitrogen), taken separately.

**(g) Remelting scrap ingots of iron or steel**

Products roughly cast in the form of ingots without feeder-heads or hot tops, or of pigs, having obvious surface faults and not complying with the chemical composition of pig iron, spiegeleisen or ferro-alloys.

**(h) Granules**

Products of which less than 90% by weight passes through a sieve with a mesh aperture of 1 mm and of which 90% or more by weight passes through a sieve with a mesh aperture of 5 mm.

**(ij) Semi-finished products**

Continuous cast products of solid section, whether or not subjected to primary hot-rolling; and

Other products of solid section, which have not been further worked than subjected to primary hot-rolling or roughly shaped by forging, including blanks for angles, shapes or sections.

These products are not presented in coils.

**(k) Flat-rolled products**

Rolled products of solid rectangular (other than square) cross-section, which do not conform to the definition at (ij) above in the form of:

- coils of successively superimposed layers, or
- straight lengths, which if of a thickness less than 4.75 mm are of a width measuring at least ten times the thickness or if of a thickness of 4.75 mm or more are of a width which exceeds 150 mm and measures at least twice the thickness.

Flat-rolled products include those with patterns in relief derived directly from rolling (for example, grooves, ribs, chequers, tears, buttons, lozenges) and those which have been perforated, corrugated or polished, provided that they do not thereby assume the character of articles or products of other headings.

Flat-rolled products of a shape other than rectangular or square, of any size, are to be classified as products of a width of 600 mm or more, provided that they do not assume the character of articles or products of other headings.

**(l) Bars and rods, hot-rolled, in irregularly wound coils**

Hot-rolled products in irregularly wound coils, which have a solid cross-section in the shape of circles, segments of circles, ovals, rectangles (including squares), triangles or other convex polygons (including "flattened circles" and "modified rectangles", of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel). These products may have indentations, ribs, grooves or other deformations produced during the rolling process (reinforcing bars and rods).

**(m) Other bars and rods**

Products which do not conform to any of the definitions at (ij), (k) or (l) above or to the definition of wire, which have a uniform solid cross-section along their whole length in the shape of circles, segments of circles, ovals, rectangles (including squares), triangles or other convex polygons (including "flattened circles" and "modified rectangles", of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel). These products may:

- have indentations, ribs, grooves or other deformations produced during the rolling process (reinforcing bars and rods);
- be twisted after rolling.

**(n) Angles, shapes and sections**

Products having a uniform solid cross-section along their whole length which do not conform to any of the definitions at (ij), (k), (l) or (m) above or to the definition of wire.

Chapter 72 does not include products of heading 73.01 or 73.02.

**(o) Wire**

Cold-formed products in coils, of any uniform solid cross-section along their whole length, which do not conform to the definition of flat-rolled products.

**(p) Hollow drill bars and rods**

Hollow bars and rods of any cross-section, suitable for drills, of which the greatest external dimension of the cross-section exceeds 15 mm but does not exceed 52 mm, and of which the greatest internal dimension does not exceed one half of the greatest external dimension. Hollow bars and rods of iron or steel not conforming to this definition are to be classified in heading 73.04.

2. Ferrous metals clad with another ferrous metal are to be classified as products of the ferrous metal predominating by weight.
3. Iron or steel products obtained by electrolytic deposition, by pressure casting or by sintering are to be classified, according to their form, their composition and their appearance, in the headings of this Chapter appropriate to similar hot-rolled products.

**Subheading Notes.**

1. In this Chapter the following expressions have the meanings hereby assigned to them:

**(a) Alloy pig iron**

Pig iron containing, by weight, one or more of the following elements in the specified proportions:

- more than 0.2% of chromium
- more than 0.3% of copper
- more than 0.3% of nickel
- more than 0.1% of any of the following elements: aluminum, molybdenum, titanium, tungsten (wolfram), vanadium.

**(b) Non-alloy free-cutting steel**

Non-alloy steel containing, by weight, one or more of the following elements in the specified proportions:

- 0.08% or more of sulphur
- 0.1% or more of lead
- more than 0.05% of selenium
- more than 0.01% of tellurium
- more than 0.05% of bismuth.

**(c) Silicon-electrical steel**

Alloy steels containing by weight at least 0.6% but not more than 6% of silicon and not more than 0.08% of carbon. They may also contain by weight not more than 1% of aluminum but no other element in a proportion that would give the steel the characteristics of another alloy steel.

**(d) High speed steel**

Alloy steels containing, with or without other elements, at least two of the three elements molybdenum, tungsten and vanadium with a combined content by weight of 7% or more, 0.6% or more of carbon and 3 to 6% of chromium.

**(e) Silico-manganese steel**

Alloy steels containing by weight:

- not more than 0.7% of carbon,
- 0.5% or more but not more than 1.9% of manganese, and
- 0.6% or more but not more than 2.3% of silicon, but no other element in a proportion that would give the steel the characteristics of another alloy steel.

2. For the classification of ferro-alloys in the subheadings of heading 72.02 the following rule should be observed:

A ferro-alloy is considered as binary and classified under the relevant subheading (if it exists) if only one of the alloy elements exceeds the minimum percentage laid down in Chapter Note 1 (c); by analogy, it is considered respectively as ternary or quaternary if two or three alloy elements exceed the minimum percentage.

For the application of this rule the unspecified "other elements" referred to in Chapter Note 1 (c) must each exceed 10% by weight.

**Statistical Note.** (NB This note does not form part of the Customs Tariff legislation.)

For the purpose of subheadings 7222.11, 7222.19, 7222.20 and 7222.30, the expression "high nickel alloy steel" is considered to be nickel alloy steel containing by weight 3% or more of nickel.

## CUSTOMS TARIFF - SCHEDULE

Tariff Item	SS	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
<b>I. -PRIMARY MATERIALS; PRODUCTS IN GRANULAR OR POWDER FORM</b>					
<b>72.01</b>		<b>Pig iron and spiegeleisen in pigs, blocks or other primary forms.</b>			
<b>7201.10.00</b>	00	<b>-Non-alloy pig iron containing by weight 0.5% or less of phosphorus</b>	TNE	Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
<b>7201.20.00</b>	00	<b>-Non-alloy pig iron containing by weight more than 0.5% of phosphorus</b>	TNE	Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
<b>7201.50.00</b>		<b>-Alloy pig iron; spiegeleisen</b>		Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
	10	---- <i>-Alloy pig iron .....</i>	KGM		
	20	---- <i>-Spiegeleisen .....</i>	KGM		
<b>72.02</b>		<b>Ferro-alloys.</b>			
		<b>-Ferro-manganese:</b>			
<b>7202.11.00</b>		<b>--Containing by weight more than 2% of carbon</b>		Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		---- <i>-Containing by weight not more than 1% of silicon:</i>			
	11	----- <i>-Containing by weight more than 2% but not more than 3% of carbon.</i>	KGM		
	12	----- <i>-Containing by weight more than 3% of carbon .....</i>	KGM		
	20	---- <i>-Containing by weight more than 1% of silicon .....</i>	KGM		
<b>7202.19.00</b>		<b>--Other</b>		Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		---- <i>-Containing by weight not more than 1% of silicon:</i>			
	11	----- <i>-Containing by weight not more than 0.75% of carbon .....</i>	KGM		
	12	----- <i>-Containing by weight more than 0.75% but not more than 2% of carbon .....</i>	KGM		
		---- <i>-Containing by weight more than 1% of silicon:</i>			
	21	----- <i>-Containing by weight not more than 0.75% of carbon .....</i>	KGM		
	22	----- <i>-Containing by weight more than 0.75% but not more than 2% of carbon .....</i>	KGM		
		<b>-Ferro-silicon:</b>			

## CUSTOMS TARIFF - SCHEDULE

Tariff Item	SS	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7202.21.00		--Containing by weight more than 55% of silicon		Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		10 ----Containing by weight less than 60% of silicon .....	KGM		
		20 ----Containing by weight 60% or more of silicon but less than 90%.....	KGM		
		30 ----Containing by weight 90% or more of silicon .....	KGM		
7202.29.00		--Other		Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		10 ----Containing by weight more than 45% but not more than 55% of silicon	KGM		
		20 ----Containing by weight not more than 45% of silicon.....	KGM		
7202.30.00 00		-Ferro-silico-manganese	KGM	Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		-Ferro-chromium:			
7202.41.00 00		--Containing by weight more than 4% of carbon	KGM	Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		<b>Note: The benefit of the Most-Favoured-Nation Tariff is extended to</b>			
		goods of this tariff item that originate in a country to which the General Tariff applies.			
7202.49.00 00		--Other	KGM	Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		<b>Note: The benefit of the Most-Favoured-Nation Tariff is extended to</b>			
		goods of this tariff item that originate in a country to which the General Tariff applies.			
7202.50.00 00		-Ferro-silico-chromium	KGM	Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
7202.60.00 00		-Ferro-nickel	KGM	6.5%	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
7202.70.00 00		-Ferro-molybdenum	KGM	2.5%	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
7202.80.00 00		-Ferro-tungsten and ferro-silico-tungsten	KGM	Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		-Other:			

## CUSTOMS TARIFF - SCHEDULE

Tariff Item	SS	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7202.91.00	00	-Ferro-titanium and ferro-silico-titanium	KGM	2.5%	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
7202.92		-Ferro-vanadium			
7202.92.10	00	--For use in the manufacture of iron or steel	KGM	2.5%	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
7202.92.90	00	--Other	KGM	6.5%	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free GPT: 5%
7202.93.00	00	-Ferro-niobium	KGM	2.5%	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
7202.99.00		-Other		2.5%	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
	10	----Ferro-zirconium.....	KGM		
		----Other:			
	91	----Ferro-phosphorus.....	KGM		
	92	----Ferro-silico-calcium.....	KGM		
	99	----Other.....	KGM		
72.03		<b>Ferrous products obtained by direct reduction of iron ore and other spongy ferrous products, in lumps, pellets or similar forms; iron having a minimum purity by weight of 99.94%, in lumps, pellets or similar forms.</b>			
7203.10.00	00	-Ferrous products obtained by direct reduction of iron ore	TNE	Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
7203.90.00	00	-Other	TNE	Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
72.04		<b>Ferrous waste and scrap; remelting scrap ingots of iron or steel.</b>			
7204.10.00	00	-Waste and scrap of cast iron	TNE	Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		-Waste and scrap of alloy steel:			

## CUSTOMS TARIFF - SCHEDULE

Tariff Item	SS	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7204.21.00	00	-Of stainless steel	TNE	Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
7204.29.00	00	-Other	TNE	Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
7204.30.00	00	-Waste and scrap of tinned iron or steel	TNE	Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		-Other waste and scrap:			
7204.41.00		-Turnings, shavings, chips, milling waste, sawdust, filings, trimmings and stampings, whether or not in bundles		Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
	10	----No. 1 in bundles .....	TNE		
	20	----Other turnings and shavings .....	TNE		
	90	----Other .....	TNE		
7204.49.00		-Other		Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
	10	----No. 1 heavy melting.....	TNE		
	20	----No. 2 heavy melting.....	TNE		
		----Other:			
	91	----Shredded.....	TNE		
	99	----Other .....	TNE		
7204.50.00	00	-Remelting scrap ingots	TNE	Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
72.05		Granules and powders, of pig iron, spiegeleisen, iron or steel.			
7205.10		-Granules			
7205.10.10		--Steel shot, for burnishing; Other shot, other than iron or steel shot of a kind for sawing, polishing, pressure blasting or tumbling		6%	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
	10	----Of steel, for burnishing .....	TNE		
	90	----Other .....	TNE		
7205.10.90		--Other		Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
	10	----Shot.....	TNE		

## CUSTOMS TARIFF - SCHEDULE

Tariff Item	SS	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
	90	-----Other .....	TNE		
		<b>-Powders:</b>			
7205.21.00		-Of alloy steel		Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
	10	-----Stainless steel powders to be employed as a filter media in the spinneret pack used in the production of man-made fibres .....	TNE		
	90	-----Other .....	TNE		
7205.29.00	00	-Other	TNE	Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
<b>II. -IRON AND NON-ALLOY STEEL</b>					
72.06		<b>Iron and non-alloy steel in ingots or other primary forms (excluding iron of heading 72.03).</b>			
7206.10.00	00	-Ingots	TNE	Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
7206.90.00	00	-Other	TNE	2.5%	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
72.07		<b>Semi-finished products of iron or non-alloy steel.</b>			
		<b>-Containing by weight less than 0.25% of carbon:</b>			
7207.11		<b>-Of rectangular (including square) cross-section, the width measuring less than twice the thickness</b>			
7207.11.10	00	--Billets, to specification AISI 12L14, for use in the manufacture of bars or rods	TNE	Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
7207.11.90	--	-Other		Free	AUT, NZT, CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
	10	-----Of iron .....	TNE		
		-----Of non-alloy steel:			
	21	-----Billets .....	TNE		
	29	-----Other .....	TNE		

## CUSTOMS TARIFF - SCHEDULE

Tariff Item	SS	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7207.12.00	00	-Other, of rectangular (other than square) cross-section	TNE	Free	AUT, NZT, CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
<b>7207.19</b>		<b>--Other</b>			
7207.19.10	00	--Continuously cast rounds, to specification A830F or C829F, of an external diameter of 21.59 cm, 22.01 cm or 25.72 cm, for use in the manufacture of seamless line pipe, standard pipe or mechanical tubing; Other rounds, for use in the manufacture of drill pipe, casing or tubing, or fittings, couplings, thread protectors or nipples therefor, for natural gas or oil wells	TNE	Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
7207.19.90		--Other		Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
	10	----Rounds.....	TNE		
	90	----Other.....	TNE		
<b>7207.20</b>		<b>-Containing by weight 0.25% or more of carbon</b>			
		--Blooms, billets, rounds, slabs and sheet bars:			
7207.20.11	00	---Continuously cast rounds, to specification A830F or C829F, of an external diameter of 21.59 cm, 22.01 cm or 25.72 cm, for use in the manufacture of seamless line pipe, standard pipe or mechanical tubing; For use in the manufacture of drill pipe, casing or tubing, or fittings, couplings, thread protectors or nipples therefor, for natural gas or oil wells	TNE	Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
7207.20.19		----Other		Free	AUT, NZT, CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
	10	----Blooms.....	TNE		
	20	----Billets.....	TNE		
	30	----Slabs, sheet bars or rounds.....	TNE		
7207.20.90	00	--Other	TNE	Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
<b>72.08</b>		<b>Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, hot-rolled, not clad, plated or coated.</b>			
<b>7208.10.00</b>		<b>-In coils, not further worked than hot-rolled, with patterns in relief</b>		Free	AUT, NZT, CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
	10	----Of a width of 600 mm or more but not exceeding 1,525 mm.....	KGM		
	20	----Of a width exceeding 1,525 mm.....	KGM		
		<b>-Other, in coils, not further worked than hot-rolled, pickled:</b>			

## CUSTOMS TARIFF - SCHEDULE

Tariff Item	SS	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
<b>7208.25</b>		<b>- -Of a thickness of 4.75 mm or more</b>			
7208.25.10		-- --For use in the manufacture of drill pipe, casing or tubing, or fittings, couplings, thread protectors or nipples therefor, for natural gas or oil wells; For use in the manufacture of separators or treaters (water, oil, gas) for installation between the wellhead assembly or surface oil pumping unit and the field marketing valve at oil or natural gas wells		Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		10 ----Of a width of 600 mm or more but not exceeding 1,525 mm .....	KGM		
		20 ----Of a width exceeding 1,525 mm but not exceeding 1,830 mm .....	KGM		
		30 ----Of a width exceeding 1,830 mm but not exceeding 2,450 mm .....	KGM		
		40 ----Of a width exceeding 2,450 mm.....	KGM		
7208.25.90		-- --Other		Free	AUT, NZT, CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		10 ----Of a width of 600 mm or more but not exceeding 1,525 mm .....	KGM		
		20 ----Of a width exceeding 1,525 mm but not exceeding 1,830 mm .....	KGM		
		30 ----Of a width exceeding 1,830 mm but not exceeding 2,450 mm .....	KGM		
		40 ----Of a width exceeding 2,450 mm.....	KGM		
<b>7208.26</b>		<b>- -Of a thickness of 3 mm or more but less than 4.75 mm</b>			
7208.26.10		-- --Without indented edges, not hardened, tempered nor ground, for use in the manufacture of saws		Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		10 ----Of a width of 600 mm or more but not exceeding 1,525 mm .....	KGM		
		20 ----Of a width exceeding 1,525 mm but not exceeding 1,830 mm .....	KGM		
		30 ----Of a width exceeding 1,830 mm but not exceeding 2,450 mm .....	KGM		
		40 ----Of a width exceeding 2,450 mm.....	KGM		
7208.26.90		-- --Other		Free	AUT, NZT, CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		10 ----Of a width of 600 mm or more but not exceeding 1,525 mm .....	KGM		
		20 ----Of a width exceeding 1,525 mm but not exceeding 1,830 mm .....	KGM		
		30 ----Of a width exceeding 1,830 mm but not exceeding 2,450 mm .....	KGM		
		40 ----Of a width exceeding 2,450 mm.....	KGM		
<b>7208.27</b>		<b>- -Of a thickness of less than 3 mm</b>			
7208.27.10		-- --Without indented edges, not hardened, tempered nor ground, for use in the manufacture of saws		Free	AUT, NZT, CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		10 ----Of a width of 600 mm or more but not exceeding 1,525 mm .....	KGM		
		20 ----Of a width exceeding 1,525 mm but not exceeding 1,830 mm .....	KGM		
		30 ----Of a width exceeding 1,830 mm but not exceeding 2,450 mm .....	KGM		
		40 ----Of a width exceeding 2,450 mm.....	KGM		

## CUSTOMS TARIFF - SCHEDULE

Tariff Item	SS	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7208.27.90	--	-Other		Free	AUT, NZT, CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
	10	-----Of a width of 600 mm or more but not exceeding 1,525 mm .....	KGM		
	20	-----Of a width exceeding 1,525 mm but not exceeding 1,830 mm .....	KGM		
	30	-----Of a width exceeding 1,830 mm but not exceeding 2,450 mm .....	KGM		
	40	-----Of a width exceeding 2,450 mm .....	KGM		
		<b>-Other, in coils, not further worked than hot-rolled:</b>			
<b>7208.36.00</b>	--	<b>-Of a thickness exceeding 10 mm</b>		Free	AUT, NZT, CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
	10	-----Of a width of 600 mm or more but not exceeding 1,525 mm .....	KGM		
	20	-----Of a width exceeding 1,525 mm but not exceeding 1,830 mm .....	KGM		
	30	-----Of a width exceeding 1,830 mm but not exceeding 2,450 mm .....	KGM		
	40	-----Of a width exceeding 2,450 mm .....	KGM		
<b>7208.37</b>	--	<b>-Of a thickness of 4.75 mm or more but not exceeding 10 mm</b>			
7208.37.10	--	-For use in the manufacture of drill pipe, casing or tubing, or fittings, couplings, thread protectors or nipples therefor, for natural gas or oil wells; For use in the manufacture of separators or treaters (water, oil, gas) for installation between the wellhead assembly or surface oil pumping unit and the field marketing valve at oil or natural gas wells		Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
	10	-----Of a width of 600 mm or more but not exceeding 1,525 mm .....	KGM		
	20	-----Of a width exceeding 1,525 mm but not exceeding 1,830 mm .....	KGM		
	30	-----Of a width exceeding 1,830 mm but not exceeding 2,450 mm .....	KGM		
	40	-----Of a width exceeding 2,450 mm .....	KGM		
7208.37.90	--	-Other		Free	AUT, NZT, CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
	10	-----Of a width of 600 mm or more but not exceeding 1,525 mm .....	KGM		
	20	-----Of a width exceeding 1,525 mm but not exceeding 1,830 mm .....	KGM		
	30	-----Of a width exceeding 1,830 mm but not exceeding 2,450 mm .....	KGM		
	40	-----Of a width exceeding 2,450 mm .....	KGM		
<b>7208.38</b>	--	<b>-Of a thickness of 3 mm or more but less than 4.75 mm</b>			
7208.38.10	--	-Without indented edges, not hardened, tempered nor ground, for use in the manufacture of saws		Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
	10	-----Of a width of 600 mm or more but not exceeding 1,525 mm .....	KGM		
	20	-----Of a width exceeding 1,525 mm but not exceeding 1,830 mm .....	KGM		
	30	-----Of a width exceeding 1,830 mm but not exceeding 2,450 mm .....	KGM		
	40	-----Of a width exceeding 2,450 mm .....	KGM		
7208.38.90	--	-Other		Free	AUT, NZT, CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free

## CUSTOMS TARIFF - SCHEDULE

Tariff Item	SS	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
		10 - - - -Of a width of 600 mm or more but not exceeding 1,525 mm .....	KGM		
		20 - - - -Of a width exceeding 1,525 mm but not exceeding 1,830 mm .....	KGM		
		30 - - - -Of a width exceeding 1,830 mm but not exceeding 2,450 mm .....	KGM		
		40 - - - -Of a width exceeding 2,450 mm.....	KGM		
<b>7208.39.00</b>		<b>-Of a thickness of less than 3 mm</b>		Free	AUT, NZT, CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		10 - - - -Of a width of 600 mm or more but not exceeding 1,525 mm .....	KGM		
		20 - - - -Of a width exceeding 1,525 mm but not exceeding 1,830 mm .....	KGM		
		30 - - - -Of a width exceeding 1,830 mm but not exceeding 2,450 mm .....	KGM		
		40 - - - -Of a width exceeding 2,450 mm.....	KGM		
<b>7208.40</b>		<b>-Not in coils, not further worked than hot-rolled, with patterns in relief</b>			
7208.40.10		--For use in ships, boats or floating structures		Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		10 - - - -Of a width of 600 mm or more but not exceeding 1,525 mm .....	KGM		
		20 - - - -Of a width exceeding 1,525 mm but not exceeding 2,450 mm .....	KGM		
		30 - - - -Of a width exceeding 2,450 mm.....	KGM		
		--Other:			
7208.40.91		---Of a thickness of 4.75 mm or more but not exceeding 10 mm, having a yield point below 355 MPa; Of a thickness exceeding 10 mm		Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		10 - - - -Of a thickness of 4.75 mm or more but not exceeding 10 mm, having a minimum yield point below 355 MPa .....	KGM		
		20 - - - -Of a thickness exceeding 10 mm.....	KGM		
7208.40.99		---Other		Free	AUT, NZT, CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		10 - - - -Of a width of 600 mm or more but not exceeding 1,525 mm .....	KGM		
		20 - - - -Of a width exceeding 1,525 mm but not exceeding 2,450 mm .....	KGM		
		30 - - - -Of a width exceeding 2,450 mm.....	KGM		
		<b>-Other, not in coils, not further worked than hot-rolled:</b>			
<b>7208.51</b>		<b>-Of a thickness exceeding 10 mm</b>			
7208.51.10 00		--Rolled on four faces or in a closed box pass, of a width not exceeding 1,250 mm	KGM	Free	AUT, NZT, CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		--Other:			
7208.51.91		---For use in the manufacture of separators or treaters (water, oil, gas) for installation between the wellhead assembly or surface oil pumping unit and the field marketing valve at oil or natural gas wells; For use in ships, boats or floating structures		Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free

## CUSTOMS TARIFF - SCHEDULE

Tariff Item	SS	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
		10 ---- <i>-Heat treated.....</i>	KGM		
		---- <i>-Other:</i>			
		91 ---- <i>-Of a width of 600 mm or more but not exceeding 1,525 mm .....</i>	KGM		
		92 ---- <i>-Of a width exceeding 1,525 mm but not exceeding 1,830 mm .....</i>	KGM		
		93 ---- <i>-Of a width exceeding 1,830 mm but not exceeding 2,450 mm .....</i>	KGM		
		94 ---- <i>-Of a width exceeding 2,450 mm but not exceeding 3,050 mm .....</i>	KGM		
		95 ---- <i>-Of a width exceeding 3,050 mm.....</i>	KGM		
7208.51.99		---- <i>-Other</i>		Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		10 ---- <i>-Heat treated.....</i>	KGM		
		---- <i>-Other:</i>			
		91 ---- <i>-Of a width of 600 mm or more but not exceeding 1,525 mm .....</i>	KGM		
		92 ---- <i>-Of a width exceeding 1,525 mm but not exceeding 1,830 mm .....</i>	KGM		
		93 ---- <i>-Of a width exceeding 1,830 mm but not exceeding 2,450 mm .....</i>	KGM		
		94 ---- <i>-Of a width exceeding 2,450 mm but not exceeding 3,050 mm .....</i>	KGM		
		95 ---- <i>-Of a width exceeding 3,050 mm.....</i>	KGM		
<b>7208.52</b>		<b>--<i>-Of a thickness of 4.75 mm or more but not exceeding 10 mm</i></b>			
		-- <i>-Having a minimum yield point of 355 MPa, rolled on four faces or in a closed box pass, of a width not exceeding 1,250 mm:</i>			
7208.52.11 00		---- <i>-For use in ships, boats or floating structures</i>	KGM	Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
7208.52.19 00		---- <i>-Other</i>	KGM	Free	AUT, NZT, CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
7208.52.90		---- <i>-Other</i>		Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		10 ---- <i>-Heat treated.....</i>	KGM		
		---- <i>-Other:</i>			
		91 ---- <i>-Of a width of 600 mm or more but not exceeding 1,525 mm .....</i>	KGM		
		92 ---- <i>-Of a width exceeding 1,525 mm but not exceeding 1,830 mm .....</i>	KGM		
		93 ---- <i>-Of a width exceeding 1,830 mm but not exceeding 2,450 mm .....</i>	KGM		
		94 ---- <i>-Of a width exceeding 2,450 mm but not exceeding 3,050 mm .....</i>	KGM		
		95 ---- <i>-Of a width exceeding 3,050 mm.....</i>	KGM		
<b>7208.53.00</b>		<b>--<i>-Other, of a thickness of 3 mm or more but less than 4.75 mm</i></b>		Free	AUT, NZT, CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		10 ---- <i>-Of a width of 600 mm or more but not exceeding 1,525 mm .....</i>	KGM		
		20 ---- <i>-Of a width exceeding 1,525 mm but not exceeding 1,830 mm .....</i>	KGM		
		30 ---- <i>-Of a width exceeding 1,830 mm but not exceeding 2,450 mm .....</i>	KGM		
		40 ---- <i>-Of a width exceeding 2,450 mm.....</i>	KGM		

## CUSTOMS TARIFF - SCHEDULE

Tariff Item	SS	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7208.54.00		- -Other, of a thickness of less than 3 mm		Free	AUT, NZT, CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		10 - - - -Of a width of 600 mm or more but not exceeding 1,525 mm .....	KGM		
		20 - - - -Of a width exceeding 1,525 mm but not exceeding 1,830 mm .....	KGM		
		30 - - - -Of a width exceeding 1,830 mm but not exceeding 2,450 mm .....	KGM		
		40 - - - -Of a width exceeding 2,450 mm.....	KGM		
7208.90.00	00	-Other	KGM	Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
72.09		<b>Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, cold-rolled (cold-reduced), not clad, plated or coated.</b>			
		<b>-In coils, not further worked than cold-rolled (cold-reduced):</b>			
7209.15.00		- -Of a thickness of 3 mm or more		Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		10 - - - -Of a width of 600 mm or more but not exceeding 1,525 mm .....	KGM		
		20 - - - -Of a width exceeding 1,525 mm but not exceeding 2,030 mm .....	KGM		
		30 - - - -Of a width exceeding 2,030 mm.....	KGM		
7209.16		- -Of a thickness exceeding 1 mm but less than 3 mm			
7209.16.10		- - -Carbon steel sheet, to specification SAE J1392 980 XF, for use in the manufacture of automotive mechanical scissor jacks or handles thereof		Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		10 - - - -Of a width of 600 mm or more but not exceeding 1,525 mm .....	KGM		
		20 - - - -Of a width exceeding 1,525 mm but not exceeding 2,030 mm .....	KGM		
		30 - - - -Of a width exceeding 2,030 mm.....	KGM		
		- - -Other:			
7209.16.91		- - - -Having a minimum yield point of 275 MPa		Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		10 - - - -Of a width of 600 mm or more but not exceeding 1,525 mm .....	KGM		
		20 - - - -Of a width exceeding 1,525 mm but not exceeding 2,030 mm .....	KGM		
		30 - - - -Of a width exceeding 2,030 mm.....	KGM		
7209.16.99		- - - -Other		Free	AUT, NZT, CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		10 - - - -Of a width of 600 mm or more but not exceeding 1,525 mm .....	KGM		
		20 - - - -Of a width exceeding 1,525 mm but not exceeding 2,030 mm .....	KGM		
		30 - - - -Of a width exceeding 2,030 mm.....	KGM		
7209.17		- -Of a thickness of 0.5 mm or more but not exceeding 1 mm			

## CUSTOMS TARIFF - SCHEDULE

Tariff Item	SS	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7209.17.10	--	Of motor lamination steel, having a maximum core loss of 9.54 W/kg/mm, measured at a frequency of 60 Hz and an induction of 1.5 T to specification ASTM A34 or A343, for use in the manufacture of magnetic core laminations		Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
	10	Of a width of 600 mm or more but not exceeding 1,525 mm .....	KGM		
	20	Of a width exceeding 1,525 mm but not exceeding 2,030 mm .....	KGM		
	30	Of a width exceeding 2,030 mm .....	KGM		
	--	Other:			
7209.17.91	---	Having a minimum yield point of 275 MPa		Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
	10	Of a width of 600 mm or more but not exceeding 1,525 mm .....	KGM		
	20	Of a width exceeding 1,525 mm but not exceeding 2,030 mm .....	KGM		
	30	Of a width exceeding 2,030 mm .....	KGM		
7209.17.99	---	Other		Free	AUT, NZT, CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
	10	Of a width of 600 mm or more but not exceeding 1,525 mm .....	KGM		
	20	Of a width exceeding 1,525 mm but not exceeding 2,030 mm .....	KGM		
	30	Of a width exceeding 2,030 mm .....	KGM		
<b>7209.18</b>	--	<b>Of a thickness of less than 0.5 mm</b>			
7209.18.10	--	Having a minimum yield point of 275 MPa, for use in the manufacture of thermionic, cold cathode or photo-cathode valves and tubes; Of motor lamination steel, having a maximum core loss of 9.54 W/kg/mm, measured at a frequency of 60 Hz and an induction of 1.5 T to specification ASTM A34 or A343, for use in the manufacture of magnetic core laminations		Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
	10	Of a width of 600 mm or more but not exceeding 1,525 mm .....	KGM		
	20	Of a width exceeding 1,525 mm but not exceeding 2,030 mm .....	KGM		
	30	Of a width exceeding 2,030 mm .....	KGM		
	--	Other:			
7209.18.91	---	Having a minimum yield point of 275 MPa		Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
	10	Of a width of 600 mm or more but not exceeding 1,525 mm .....	KGM		
	20	Of a width exceeding 1,525 mm but not exceeding 2,030 mm .....	KGM		
	30	Of a width exceeding 2,030 mm .....	KGM		
7209.18.99	---	Other		Free	AUT, NZT, CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
	10	Of a width of 600 mm or more but not exceeding 1,525 mm .....	KGM		
	20	Of a width exceeding 1,525 mm but not exceeding 2,030 mm .....	KGM		
	30	Of a width exceeding 2,030 mm .....	KGM		
		<b>-Not in coils, not further worked than cold-rolled (cold-reduced):</b>			

## CUSTOMS TARIFF - SCHEDULE

Tariff Item	SS	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7209.25.00		-Of a thickness of 3 mm or more		Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
	10	----Of a width of 600 mm or more but not exceeding 1,525 mm .....	KGM		
	20	----Of a width exceeding 1,525 mm but not exceeding 2,030 mm .....	KGM		
	30	----Of a width exceeding 2,030 mm.....	KGM		
7209.26.00		-Of a thickness exceeding 1 mm but less than 3 mm		Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
	10	----Of a width of 600 mm or more but not exceeding 1,525 mm .....	KGM		
	20	----Of a width exceeding 1,525 mm but not exceeding 2,030 mm .....	KGM		
	30	----Of a width exceeding 2,030 mm.....	KGM		
7209.27.00		-Of a thickness of 0.5 mm or more but not exceeding 1 mm		Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
	10	----Of a width of 600 mm or more but not exceeding 1,525 mm .....	KGM		
	20	----Of a width exceeding 1,525 mm but not exceeding 2,030 mm .....	KGM		
	30	----Of a width exceeding 2,030 mm.....	KGM		
7209.28.00		-Of a thickness of less than 0.5 mm		Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
	10	----Of a width of 600 mm or more but not exceeding 1,525 mm .....	KGM		
	20	----Of a width exceeding 1,525 mm but not exceeding 2,030 mm .....	KGM		
	30	----Of a width exceeding 2,030 mm.....	KGM		
7209.90.00		-Other		Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
	10	----Perforated .....	KGM		
	90	----Other.....	KGM		
72.10		<b>Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, clad, plated or coated.</b>			
		<b>-Plated or coated with tin:</b>			
7210.11.00	00	-Of a thickness of 0.5 mm or more	KGM	Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
7210.12.00	00	-Of a thickness of less than 0.5 mm	KGM	Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
7210.20		<b>-Plated or coated with lead, including terne-plate</b>			
7210.20.10		--Of a thickness not exceeding 4.75 mm		Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
	10	----Terne-plate.....	KGM		
	90	----Other.....	KGM		

## CUSTOMS TARIFF - SCHEDULE

Tariff Item	SS	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7210.20.20	00	--Of a thickness exceeding 4.75 mm	KGM	Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
7210.30.00	00	<b>-Electrolytically plated or coated with zinc</b>	KGM	Free	AUT, NZT, CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		<b>-Otherwise plated or coated with zinc:</b>			
7210.41.00	00	--Corrugated	KGM	Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
7210.49.00		--Other		Free	AUT, NZT, CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
	10	----Of a thickness not exceeding 0.5 mm .....	KGM		
	20	----Of a thickness exceeding 0.5 mm but not exceeding 1 mm .....	KGM		
	30	----Of a thickness exceeding 1 mm .....	KGM		
7210.50.00	00	<b>-Plated or coated with chromium oxides or with chromium and chromium oxides</b>	KGM	Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		<b>-Plated or coated with aluminum:</b>			
7210.61.00	00	--Plated or coated with aluminium-zinc alloys	KGM	Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
7210.69.00		--Other		Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
	10	----Of a thickness of less than 1.44 mm .....	KGM		
	20	----Of a thickness of 1.44 mm or more .....	KGM		
7210.70.00	00	<b>-Painted, varnished or coated with plastics</b>	KGM	Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
7210.90.00		<b>-Other</b>		Free	AUT, NZT, CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		----Of a thickness not exceeding 4.75 mm, clad, plated or coated with other base metals:			
	11	----With copper .....	KGM		
	12	----With nickel .....	KGM		
	13	----With stainless steel .....	KGM		
	19	----Other .....	KGM		
		----Of a thickness exceeding 4.75 mm, clad, plated or coated with other base metals:			
	21	----With nickel .....	KGM		

## CUSTOMS TARIFF - SCHEDULE

Tariff Item	SS	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
	22	-----With stainless steel .....	KGM		
	29	-----Other .....	KGM		
	90	-----Other, including with vitreous enamel .....	KGM		
<b>72.11</b>		<b>Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, not clad, plated or coated.</b>			
		<b>-Not further worked than hot-rolled:</b>			
<b>7211.13.00</b>	00	<b>-Rolled on four faces or in a closed box pass, of a width exceeding 150 mm and a thickness of not less than 4 mm, not in coils and without patterns in relief</b>	KGM	Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
<b>7211.14.00</b>		<b>-Other, of a thickness of 4.75 mm or more</b>		Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
	10	-----Not in coils .....	KGM		
	90	-----Other .....	KGM		
<b>7211.19</b>		<b>-Other</b>			
7211.19.10	00	--Without indented edges, not hardened, tempered nor ground, for use in the manufacture of saws	KGM	Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
7211.19.90		--Other		Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
	10	-----Not in coils .....	KGM		
	90	-----Other .....	KGM		
		<b>-Not further worked than cold-rolled (cold-reduced):</b>			
<b>7211.23</b>		<b>-Containing by weight less than 0.25% of carbon</b>			
7211.23.10	00	--Hardened, tempered or ground, not further manufactured than cut to shape, without indented edges, for use in the manufacture of saws; Of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa, the foregoing for use in the manufacture of: Knitting machine needles; Thermionic, cold cathode or photo-cathode valves and tubes	KGM	Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
7211.23.90	00	--Other	KGM	Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
<b>7211.29</b>		<b>-Other</b>			

## CUSTOMS TARIFF - SCHEDULE

Tariff Item	SS	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7211.29.10	00	-- High carbon steel strip, to specification SAE 1080, hardened and tempered, polished, of a hardness of RC 45/47, with sheared edges, in coils of a weight not exceeding 1 tonne, for use in the manufacture of power trowel blades; Of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa, the foregoing for use in the manufacture of:	KGM	Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
7211.29.10		Knitting machine needles;			
Continued		Thermionic, cold cathode or photo-cathode valves and tubes; Without indented edges, not hardened, tempered nor ground, for use in the manufacture of saws			
7211.29.90	00	-- -Other	KGM	Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
<b>7211.90</b>		<b>-Other</b>			
7211.90.10	00	-- -Of a thickness not exceeding 5 mm, with cutting edge on one or both sides, for use in the manufacture of cutting dies; Without indented edges, not hardened, tempered nor ground, for use in the manufacture of saws	KGM	Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
7211.90.90		-- -Other		Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
	10	---- <i>-Perforated</i> .....	KGM		
	90	---- <i>-Other</i> .....	KGM		
<b>72.12</b>		<b>Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, clad, plated or coated.</b>			
<b>7212.10.00</b>	00	<b>-Plated or coated with tin</b>	KGM	Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
<b>7212.20.00</b>	00	<b>-Electrolytically plated or coated with zinc</b>	KGM	Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
<b>7212.30.00</b>	00	<b>-Otherwise plated or coated with zinc</b>	KGM	Free	AUT, NZT, CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
<b>7212.40.00</b>	00	<b>-Painted, varnished or coated with plastics</b>	KGM	Free	AUT, NZT, CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
<b>7212.50</b>		<b>-Otherwise plated or coated</b>			

## CUSTOMS TARIFF - SCHEDULE

Tariff Item	SS	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7212.50.10	--	-Aluminized drawing quality special killed steel sheet for use in the manufacture of drying machines of subheading 8541.21; Brass lacquered or plated with nickel or nickel-tin, of a thickness not exceeding 0.41 mm and of a width not exceeding 5.3 cm, for use in the manufacture of ferrules for paint brushes; Plated or coated with lead or lead-tin alloys; Plated with chrome, for use in the manufacture of centre discs for stove elements; To specification SAE 1008, cold-rolled, aluminum killed draw quality, annealed after nickel plating, of a thickness of 0.127 mm or more but not exceeding 0.51 mm, for use in the manufacture of battery cans -----Plated or coated with lead or lead-tin alloys:		Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
	11	-----Terne-plate.....	KGM		
	19	-----Other.....	KGM		
	90	-----Other.....	KGM		
7212.50.90	--	-Other		Free	AUT, NZT, CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		-----Of a thickness not exceeding 4.75 mm, plated or coated with other base metals:			
	11	-----With aluminum.....	KGM		
	12	-----With copper.....	KGM		
	13	-----With nickel.....	KGM		
	14	-----With zinc-aluminum.....	KGM		
	19	-----Other.....	KGM		
	20	-----Of a thickness exceeding 4.75 mm, plated or coated with other base metals.....	KGM		
	90	-----Other.....	KGM		
<b>7212.60</b>		<b>-Clad</b>			
7212.60.10	00	-- -For use in ships, boats or floating structures	KGM	Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
7212.60.90	--	-Other		Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
	10	-----With stainless steel.....	KGM		
	90	-----Other.....	KGM		
<b>72.13</b>		<b>Bars and rods, hot-rolled, in irregularly wound coils, of iron or non-alloy steel.</b>			
7213.10.00	00	-Containing indentations, ribs, grooves or other deformations produced during the rolling process	KGM	Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
7213.20		-Other, of free-cutting steel			

## CUSTOMS TARIFF - SCHEDULE

Tariff Item	SS	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7213.20.10	--	-Containing by weight 0.15% or more but not exceeding 0.35% of lead or 0.05% or more but not exceeding 0.4% of bismuth, for use in Canadian manufactures; Of a diameter not exceeding 9.525 mm, for use in the manufacture of wire		Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
10	----	-Wire rods .....	KGM		
	----	-Other:			
91	----	-Rounds of a diameter not exceeding 75 mm .....	KGM		
92	----	-Hexagons .....	KGM		
93	----	-Squares .....	KGM		
99	----	-Other .....	KGM		
7213.20.90	--	-Other		Free	AUT, NZT, CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
10	----	-Wire rods .....	KGM		
	----	-Other:			
91	----	-Rounds of a diameter not exceeding 75 mm .....	KGM		
92	----	-Hexagons .....	KGM		
93	----	-Squares .....	KGM		
99	----	-Other .....	KGM		
<b>7213.91</b>	--	<b>-Of circular cross-section measuring less than 14 mm in diameter</b>			
7213.91.10	--	-Of a diameter not exceeding 9.525 mm, for use in the manufacture of wire		Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
10	----	-Containing by weight less than 0.25% of carbon .....	KGM		
20	----	-Containing by weight 0.25% or more but less than 0.6% of carbon .....	KGM		
30	----	-Containing by weight 0.6% or more of carbon .....	KGM		
7213.91.90	--	-Other		Free	AUT, NZT, CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
	----	-Containing by weight less than 0.25% of carbon:			
11	----	-Wire rods .....	KGM		
19	----	-Other .....	KGM		
	----	-Containing by weight 0.25% or more but less than 0.6% of carbon:			
21	----	-Wire rods .....	KGM		
29	----	-Other .....	KGM		
	----	-Containing by weight 0.6% or more of carbon:			
31	----	-Wire rods .....	KGM		
39	----	-Other .....	KGM		
<b>7213.99</b>	--	<b>-Other</b>			
7213.99.10	--	-Of a diameter not exceeding 9.525 mm, for use in the manufacture of wire		Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
10	----	-Containing by weight less than 0.25% of carbon .....	KGM		
20	----	-Containing by weight 0.25% or more but less than 0.6% of carbon .....	KGM		

## CUSTOMS TARIFF - SCHEDULE

Tariff Item	SS	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
	30	----Containing by weight 0.6% or more of carbon .....	KGM		
		--Other:			
7213.99.91		----Containing by weight less than 0.6% of carbon		Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
	10	----Wire rods, containing by weight less than 0.25% of carbon.....	KGM		
		----Other, containing by weight less than 0.25% of carbon:			
	21	----Rounds, of a diameter of 14 mm or more but not exceeding 35 mm...	KGM		
	22	----Rounds, of a diameter exceeding 35 mm .....	KGM		
	23	----Hexagons.....	KGM		
	24	----Squares .....	KGM		
	29	----Other.....	KGM		
	30	----Wire rods, containing by weight 0.25% or more but less than 0.6% of carbon .....	KGM		
		----Other, containing by weight 0.25% or more but less than 0.6% of carbon:			
	41	----Rounds, of a diameter of 14 mm or more but not exceeding 35 mm...	KGM		
	42	----Rounds, of a diameter exceeding 35 mm .....	KGM		
	49	----Other.....	KGM		
7213.99.99		----Other		Free	AUT, NZT, CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
	10	----Wire rods, containing by weight 0.6% or more of carbon.....	KGM		
		----Other, containing by weight 0.6% or more of carbon:			
	21	----Rounds, of a diameter of 14 mm or more but not exceeding 35 mm...	KGM		
	22	----Rounds, of a diameter exceeding 35 mm .....	KGM		
	29	----Other.....	KGM		
<b>72.14</b>		<b>Other bars and rods of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but including those twisted after rolling.</b>			
<b>7214.10.00</b>	00	<b>-Forged</b>	KGM	Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
<b>7214.20.00</b>	00	<b>-Containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling</b>	KGM	Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
<b>7214.30</b>		<b>-Other, of free-cutting steel</b>			
7214.30.10	00	--Containing by weight 0.15% or more but not exceeding 0.35% of lead or 0.05% or more but not exceeding 0.4% of bismuth, for use in Canadian manufactures	KGM	Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
7214.30.90		--Other		Free	AUT, NZT, CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		----Flat bars, including flat grader blade sections:			

## CUSTOMS TARIFF - SCHEDULE

Tariff Item	SS	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
	11	-----Of a width not exceeding 75 mm.....	KGM		
	12	-----Of a width exceeding 75 mm but less than 150 mm .....	KGM		
	13	-----Of a width of 150 mm or more.....	KGM		
		-----Rounds:			
	21	-----Of a diameter not exceeding 75 mm .....	KGM		
	22	-----Of a diameter exceeding 75 mm .....	KGM		
	30	-----Hexagons .....	KGM		
	40	-----Squares .....	KGM		
	90	-----Other .....	KGM		
		<b>-Other:</b>			
<b>7214.91</b>		<b>--Of rectangular (other than square) cross-section</b>			
7214.91.10	--	For use in ships, boats or floating structures; Grouser bars, in mill lengths, for use in the manufacture of track shoes for track-laying tractors, loaders or excavators		Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
	10	-----Of a width not exceeding 75 mm.....	KGM		
	20	-----Of a width exceeding 75 mm but less than 150 mm .....	KGM		
	30	-----Of a width of 150 mm or more.....	KGM		
7214.91.90	--	Other		Free	AUT, NZT, CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
	10	-----Of a width not exceeding 75 mm.....	KGM		
	20	-----Of a width exceeding 75 mm but less than 150 mm .....	KGM		
	30	-----Of a width of 150 mm or more.....	KGM		
<b>7214.99</b>		<b>--Other</b>			
7214.99.10	--	For use in ships, boats or floating structures; Grouser bars, in mill lengths, for use in the manufacture of track shoes for track-laying tractors, loaders or excavators		Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		-----Rounds:			
	11	-----Of a diameter not exceeding 75 mm .....	KGM		
	12	-----Of a diameter exceeding 75 mm .....	KGM		
	20	-----Hexagons .....	KGM		
	30	-----Squares .....	KGM		
	90	-----Other .....	KGM		
7214.99.90	--	Other		Free	AUT, NZT, CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		-----Rounds:			
	11	-----Of a diameter not exceeding 75 mm .....	KGM		
	12	-----Of a diameter exceeding 75 mm .....	KGM		
	20	-----Hexagons .....	KGM		
	30	-----Squares .....	KGM		
	90	-----Other .....	KGM		
<b>72.15</b>		<b>Other bars and rods of iron or non-alloy steel.</b>			

## CUSTOMS TARIFF - SCHEDULE

Tariff Item	SS	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7215.10.00		<b>-Of free-cutting steel, not further worked than cold-formed or cold-finished</b>		Free	AUT, NZT, CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
	10	----Flat bars .....	KGM		
	20	----Rounds.....	KGM		
	30	----Squares.....	KGM		
	40	----Hexagons.....	KGM		
	90	----Other.....	KGM		
7215.50.00		<b>-Other, not further worked than cold-formed or cold-finished</b>		Free	AUT, NZT, CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
	10	----Flat bars .....	KGM		
		----Rounds:			
	21	-----Ground, turned or polished.....	KGM		
	29	-----Other.....	KGM		
	30	----Squares.....	KGM		
	40	----Hexagons.....	KGM		
	90	----Other.....	KGM		
7215.90.00		<b>-Other</b>		Free	AUT, NZT, CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
	10	----Chrome plated .....	KGM		
	90	----Other.....	KGM		
72.16		<b>Angles, shapes and sections of iron or non-alloy steel.</b>			
7216.10.00		<b>-U, I or H sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of less than 80 mm</b>		Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		----U sections:			
	11	-----American standard.....	KGM		
	12	-----For motor vehicles or for ships.....	KGM		
	19	-----Other.....	KGM		
		----I sections:			
	21	-----American standard.....	KGM		
	29	-----Other.....	KGM		
	30	----H sections .....	KGM		
		<b>-L or T sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of less than 80 mm:</b>			
7216.21		<b>-L sections</b>			
7216.21.10		--For use in ships, boats or floating structures		Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
	10	----Equal legs .....	KGM		
	20	----Unequal legs.....	KGM		

## CUSTOMS TARIFF - SCHEDULE

Tariff Item	SS	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7216.21.90	--	-Other		Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
	10	-----Equal legs.....	KGM		
	20	-----Unequal legs.....	KGM		
<b>7216.22.00</b>	00	<b>--T sections</b>	KGM	Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		<b>-U, I or H sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of 80 mm or more:</b>			
<b>7216.31</b>		<b>--U sections</b>			
7216.31.10	--	-For use in ships, boats or floating structures		Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
	10	-----Of a height of 80 mm or more but not exceeding 152.4 mm.....	KGM		
	20	-----Of a height exceeding 152.4 mm.....	KGM		
7216.31.90	--	-Other		Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		-----Of a height of 80 mm or more but not exceeding 152.4 mm:			
	11	-----American standard.....	KGM		
	12	-----For motor vehicles.....	KGM		
	19	-----Other.....	KGM		
		-----Of a height exceeding 152.4 mm:			
	21	-----American standard.....	KGM		
	22	-----For motor vehicles.....	KGM		
	29	-----Other.....	KGM		
<b>7216.32</b>		<b>--I sections</b>			
7216.32.10	--	-For use in ships, boats or floating structures; Not further manufactured than sand-blasted or coated with primer, for use in the manufacture of masts for fork-lift trucks		Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
	10	-----Of a height of 80 mm or more but not exceeding 152.4 mm.....	KGM		
	20	-----Of a height exceeding 152.4 mm.....	KGM		
7216.32.90	--	-Other		Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
	10	-----Of a height of 80 mm or more but not exceeding 152.4 mm.....	KGM		
	20	-----Of a height exceeding 152.4 mm.....	KGM		
<b>7216.33</b>		<b>--H sections</b>			
7216.33.10	--	-For use in ships, boats or floating structures; Of a height of less than 150 mm, for use in the manufacture of mine arches		Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		-----Wide flange:			

## CUSTOMS TARIFF - SCHEDULE

Tariff Item	SS	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
		11 -----Of a height not exceeding 150 mm.....	KGM		
		12 -----Of a height exceeding 150 mm but not exceeding 355 mm.....	KGM		
		13 -----Of a height exceeding 355 mm but not exceeding 635 mm.....	KGM		
		14 -----Of a height exceeding 635 mm.....	KGM		
		20 -----Bearing pile.....	KGM		
		-----Other:			
		91 -----Of a height of 80 mm or more but not exceeding 152.4 mm.....	KGM		
		92 -----Of a height exceeding 152.4 mm.....	KGM		
7216.33.90		-- -Other		Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		-----Wide flange:			
		11 -----Of a height not exceeding 150 mm.....	KGM		
		12 -----Of a height exceeding 150 mm but not exceeding 355 mm.....	KGM		
		13 -----Of a height exceeding 355 mm but not exceeding 635 mm.....	KGM		
		14 -----Of a height exceeding 635 mm.....	KGM		
		20 -----Bearing pile.....	KGM		
		-----Other:			
		91 -----Of a height of 80 mm or more but not exceeding 152.4 mm.....	KGM		
		92 -----Of a height exceeding 152.4 mm.....	KGM		
<b>7216.40.00</b>		<b>-L or T sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of 80 mm or more</b>		Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		-----L sections, equal legs:			
		11 -----Of a height of 80 mm or more but not exceeding 152.4 mm.....	KGM		
		12 -----Of a height exceeding 152.4 mm.....	KGM		
		-----L sections, unequal legs:			
		21 -----Large leg of a height of 80 mm or more but not exceeding 152.4 mm.....	KGM		
		22 -----Large leg of a height exceeding 152.4 mm.....	KGM		
		30 -----T sections.....	KGM		
<b>7216.50</b>		<b>-Other angles, shapes and sections, not further worked than hot-rolled, hot-drawn or extruded</b>			
7216.50.10		-- -For use in ships, boats or floating structures; Shapes or sections, with bevelled edge or edges, of a length of more than 3.65 m and either of a width of more than 25.4 cm or of a thickness of more than 3.5 cm, for use in the manufacture of cutting edges for bulldozer or angledozer blades, front-end shovel loader buckets, combination excavating and transporting scrapers, road graders or road scrapers; Track shoe profile bars of steel, of a width of 190 mm or more but not exceeding 350 mm and of a height not exceeding 150 mm, for use in the manufacture of track shoes for track-laying machinery or vehicles		Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		10 -----For use in ships, boats or floating structures.....	KGM		
		20 -----Shapes or sections, with bevelled edge or edges, of a length of more than 3.65 m and either of a width of more than 25.4 cm or of a thickness of more than 3.5 cm, for use in the manufacture of cutting edges for bulldozer or angledozer blades, front-end shovel loader buckets, combination excavating and transporting scrapers, road graders or road scrapers.....	KGM		

## CUSTOMS TARIFF - SCHEDULE

Tariff Item	SS	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
30	----	<i>Track shoe profile bars of steel, of a width of 190 mm or more but not exceeding 350 mm and of a height not exceeding 150 mm, for use in the manufacture of track shoes for track-laying machinery or vehicles..</i>	KGM		
7216.50.90	00 --	-Other	KGM	Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		<b>-Angles, shapes and sections, not further worked than cold-formed or cold-finished:</b>			
7216.61.00	00 --	-Obtained from flat-rolled products	KGM	Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
7216.69.00	00 --	-Other	KGM	Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		<b>-Other:</b>			
7216.91		<b>--Cold-formed or cold-finished from flat-rolled products</b>			
7216.91.10	00 --	-Ribbed shapes plated or coated with lead or lead-tin alloys	KGM	Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
7216.91.90	--	-Other		Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		10 ---- -L sections .....	KGM		
		20 ---- -I or H sections .....	KGM		
		30 ---- -U sections.....	KGM		
		---- -Other:			
		91 ---- -Ribbed shapes .....	KGM		
		99 ---- -Other .....	KGM		
7216.99		<b>--Other</b>			
7216.99.10	00 --	-Ribbed shapes plated or coated with lead or lead-tin alloys	KGM	Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
7216.99.90	--	-Other		Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		10 ---- -L sections .....	KGM		
		20 ---- -I or H sections .....	KGM		
		30 ---- -U sections.....	KGM		
		---- -Other:			
		91 ---- -Ribbed shapes .....	KGM		
		99 ---- -Other .....	KGM		
72.17		<b>Wire of iron or non-alloy steel.</b>			

## CUSTOMS TARIFF - SCHEDULE

Tariff Item	SS	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
<b>7217.10</b>		<b>-Not plated or coated, whether or not polished</b>			
7217.10.10 00	--	-Fine wire of a diameter not exceeding 0.58 mm or half-lock and full-lock shaped wire, as defined in ISO standards 2532 and 3578, for use in the manufacture of wire rope; Flat wire, to specification C1065 or C1075, containing by weight 0.6% or more of carbon, blue tempered spring steel, cold-rolled after drawing, of a width not exceeding 10 mm and a thickness not exceeding 1.5 mm, for use in the manufacture of leaf rakes, fan rakes or rake tines; Steel wire, cold rolled, containing by weight 0.6% or more of carbon, for use in the manufacture of knitting machine needles	KGM	Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
7217.10.90	--	-Other		Free	AUT, NZT, CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		----Containing by weight less than 0.25% of carbon:			
		11 -----For the manufacture of nails .....	KGM		
		12 -----For the manufacture of wire rope.....	KGM		
		13 -----For the manufacture of welding wire.....	KGM		
		14 -----For the manufacture of cold heading stock.....	KGM		
		19 -----Other.....	KGM		
		----Containing by weight 0.25% or more but less than 0.6% of carbon:			
		21 -----Round, for the manufacture of wire rope .....	KGM		
		22 -----Round, for the manufacture of cold heading stock .....	KGM		
		23 -----Other round.....	KGM		
		24 -----Flat.....	KGM		
		29 -----Other.....	KGM		
		----Containing by weight 0.6% or more of carbon:			
		31 -----Round, for the manufacture of welding wire .....	KGM		
		32 -----Round, for the manufacture of wire rope .....	KGM		
		33 -----Round, for the manufacture of cold heading stock .....	KGM		
		34 -----Other round.....	KGM		
		35 -----Flat.....	KGM		
		39 -----Other.....	KGM		
<b>7217.20</b>		<b>-Plated or coated with zinc</b>			
7217.20.10 00	--	-Fine wire of a diameter not exceeding 0.58 mm or half-lock and full-lock shaped wire, as defined in ISO standards 2532 and 3578, for use in the manufacture of wire rope; Flat wire, of a thickness of 0.2032 mm or more but not exceeding 0.254 mm and a width of 1.0668 mm or more but not exceeding 1.2192 mm, minimum tensile strength of 379,225 kPa, not less than 5% elongation	KGM	Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
7217.20.20	--	-Other single, for use in the manufacture of wire rope		Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		----Containing by weight less than 0.25% of carbon:			
		11 -----Round .....	KGM		
		19 -----Other.....	KGM		
		----Containing by weight 0.25% or more but less than 0.6% of carbon:			
		21 -----Round .....	KGM		
		29 -----Other.....	KGM		

## CUSTOMS TARIFF - SCHEDULE

Tariff Item	SS	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
		-----Containing by weight 0.6% or more of carbon:			
	31	-----Round.....	KGM		
	39	-----Other.....	KGM		
7217.20.90	--	-Other		Free	AUT, NZT, CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		-----Containing by weight less than 0.25% of carbon:			
	11	-----Round, for the manufacture of wire rope.....	KGM		
	12	-----Other round.....	KGM		
	13	-----Flat.....	KGM		
	19	-----Other.....	KGM		
		-----Containing by weight 0.25% or more but less than 0.6% of carbon:			
	21	-----Round, for the manufacture of wire rope.....	KGM		
	22	-----Other round.....	KGM		
	23	-----Flat.....	KGM		
	29	-----Other.....	KGM		
		-----Containing by weight 0.6% or more of carbon:			
	31	-----Round, for the manufacture of wire rope.....	KGM		
	32	-----Other round.....	KGM		
	39	-----Other.....	KGM		
<b>7217.30</b>		<b>-Plated or coated with other base metals</b>			
7217.30.10	--	-Containing by weight 0.6% or more of carbon; Steel wire, copper-plated, of a diameter of 0.381 mm or more but not exceeding 1.0795 mm and of a tensile strength of 875,665 kPa or more but not exceeding 1,172,270 kPa		Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		-----Containing by weight 0.6% or more of carbon:			
	11	-----Round, plated or coated with copper.....	KGM		
	12	-----Round, plated or coated with aluminum.....	KGM		
	13	-----Round, plated or coated except with copper or aluminum.....	KGM		
	14	-----Flat.....	KGM		
	19	-----Other.....	KGM		
	20	-----Steel wire, copper-plated, of a diameter of 0.381 mm or more but not exceeding 1.0795 mm and of a tensile strength of 875,665 kPa or more but not exceeding 1,172,270 kPa.....	KGM		
7217.30.90	--	-Other		Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		-----Containing by weight less than 0.25% of carbon:			
	11	-----Plated or coated with copper.....	KGM		
	12	-----Plated or coated with tin.....	KGM		
	13	-----Plated or coated with aluminum.....	KGM		
	19	-----Other.....	KGM		
		-----Containing by weight 0.25% or more but less than 0.6% of carbon:			
	21	-----Round, plated or coated with copper.....	KGM		
	22	-----Round, plated or coated with tin.....	KGM		
	23	-----Round, plated or coated with aluminum.....	KGM		
	24	-----Other round.....	KGM		
	29	-----Other.....	KGM		
<b>7217.90</b>		<b>-Other</b>			

## CUSTOMS TARIFF - SCHEDULE

Tariff Item	SS	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7217.90.10	--	-Containing by weight less than 0.25% carbon		Free	AUT, NZT, CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
	10	----Round .....	KGM		
	90	----Other .....	KGM		
7217.90.90	--	-Other		Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		----Containing by weight 0.25% or more but less than 0.6% of carbon:			
	11	----Round .....	KGM		
	19	----Other .....	KGM		
		----Containing by weight 0.6% or more of carbon:			
	21	----Round, with liquor finish .....	KGM		
	22	----Other round .....	KGM		
	23	----Flat .....	KGM		
	29	----Other .....	KGM		

## III. -STAINLESS STEEL

## 72.18 Stainless steel in ingots or other primary forms; semi-finished products of stainless steel.

7218.10.00	00	-Ingots and other primary forms	TNE	Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		-Other:			
7218.91		-Of rectangular (other than square) cross-section			
7218.91.10	00	--Blooms, billets, slabs or sheet bars	TNE	Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
7218.91.90	00	--Other	TNE	Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
7218.99		-Other			
7218.99.10	00	--Blooms, billets, rounds, slabs and sheet bars	TNE	Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
7218.99.90	00	--Other	TNE	Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
72.19		Flat-rolled products of stainless steel, of a width of 600 mm or more.			
		-Not further worked than hot-rolled, in coils:			

## CUSTOMS TARIFF - SCHEDULE

Tariff Item	SS	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7219.11.00		--Of a thickness exceeding 10 mm		Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		10 ----Of a width of 600 mm or more but not exceeding 1,830 mm .....	KGM		
		20 ----Of a width exceeding 1,830 mm.....	KGM		
7219.12		--Of a thickness of 4.75 mm or more but not exceeding 10 mm			
7219.12.10		--For use in the manufacture of tubes or pipes		Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		----Of a thickness of 4.75 mm or more but not exceeding 6.35 mm:			
		11 ----Of a width of 600 mm or more but not exceeding 1,250 mm .....	KGM		
		12 ----Of a width exceeding 1,250 mm but not exceeding 1,525 mm .....	KGM		
		13 ----Of a width exceeding 1,525 mm.....	KGM		
		----Of a thickness exceeding 6.35 mm but not exceeding 10 mm:			
		21 ----Of a width of 600 mm or more but not exceeding 1,250 mm .....	KGM		
		22 ----Of a width exceeding 1,250 mm but not exceeding 1,525 mm .....	KGM		
		23 ----Of a width exceeding 1,525 mm.....	KGM		
7219.12.90		--Other		Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		----Of a thickness of 4.75 mm or more but not exceeding 6.35 mm:			
		11 ----Of a width of 600 mm or more but not exceeding 1,250 mm .....	KGM		
		12 ----Of a width exceeding 1,250 mm but not exceeding 1,525 mm .....	KGM		
		13 ----Of a width exceeding 1,525 mm.....	KGM		
		----Of a thickness exceeding 6.35 mm but not exceeding 10 mm:			
		21 ----Of a width of 600 mm or more but not exceeding 1,250 mm .....	KGM		
		22 ----Of a width exceeding 1,250 mm but not exceeding 1,525 mm .....	KGM		
		23 ----Of a width exceeding 1,525 mm.....	KGM		
7219.13		--Of a thickness of 3 mm or more but less than 4.75 mm			
7219.13.10		--For use in the manufacture of tubes or pipes		Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		10 ----Of a width of 600 mm or more but not exceeding 1,250 mm .....	KGM		
		20 ----Of a width exceeding 1,250 mm but not exceeding 1,525 mm .....	KGM		
		30 ----Of a width exceeding 1,525 mm.....	KGM		
7219.13.90		--Other		Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		10 ----Of a width of 600 mm or more but not exceeding 1,250 mm .....	KGM		
		20 ----Of a width exceeding 1,250 mm but not exceeding 1,525 mm .....	KGM		
		30 ----Of a width exceeding 1,525 mm.....	KGM		
7219.14		--Of a thickness of less than 3 mm			
7219.14.10		--For use in the manufacture of tubes or pipes		Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		10 ----Of a width of 600 mm or more but not exceeding 1,250 mm .....	KGM		
		20 ----Of a width exceeding 1,250 mm but not exceeding 1,525 mm .....	KGM		

## CUSTOMS TARIFF - SCHEDULE

Tariff Item	SS	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
		30 - - - -Of a width exceeding 1,525 mm.....	KGM		
7219.14.90		- - -Other		Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		10 - - - -Of a width of 600 mm or more but not exceeding 1,250 mm .....	KGM		
		20 - - - -Of a width exceeding 1,250 mm but not exceeding 1,525 mm .....	KGM		
		30 - - - -Of a width exceeding 1,525 mm.....	KGM		
		<b>-Not further worked than hot-rolled, not in coils:</b>			
<b>7219.21</b>		<b>- -Of a thickness exceeding 10 mm</b>			
7219.21.10		- - -Containing 30% or more by weight of nickel and 12% or more by weight of chromium, for use in Canadian manufactures; Grade 316F, for use in the manufacture of screens for the pulp and paper industry; Of a width exceeding 1,250 mm, for use in the manufacture of railway cars		Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		- - - -Containing 30% or more by weight of nickel and 12% or more by weight of chromium, for use in Canadian manufactures; Grade 316F, for use in the manufacture of screens for the pulp and paper industry:			
		11 - - - - -Of a width of 600 mm or more but not exceeding 1,830 mm .....	KGM		
		12 - - - - -Of a width exceeding 1,830 mm .....	KGM		
		20 - - - - -Of a width exceeding 1,250 mm for use in the manufacture of railway cars .....	KGM		
7219.21.20		- - -Other, for use in the manufacture of tubes or pipes		Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		10 - - - - -Of a width of 600 mm or more but not exceeding 1,830 mm .....	KGM		
		20 - - - - -Of a width exceeding 1,830 mm.....	KGM		
7219.21.90		- - -Other		Free	AUT, NZT, CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		10 - - - - -Of a width of 600 mm or more but not exceeding 1,830 mm .....	KGM		
		20 - - - - -Of a width exceeding 1,830 mm.....	KGM		
<b>7219.22</b>		<b>- -Of a thickness of 4.75 mm or more but not exceeding 10 mm</b>			
7219.22.10		- - -Containing 30% or more by weight of nickel and 12% or more by weight of chromium, for use in Canadian manufactures; Grade 316F, for use in the manufacture of screens for the pulp and paper industry		Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		10 - - - - -Of a width of 600 mm or more but not exceeding 1,830 mm .....	KGM		
		20 - - - - -Of a width exceeding 1,830 mm.....	KGM		
7219.22.20		- - -Other, for use in the manufacture of tubes or pipes		Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		10 - - - - -Of a width of 600 mm or more but not exceeding 1,830 mm .....	KGM		
		20 - - - - -Of a width exceeding 1,830 mm.....	KGM		

## CUSTOMS TARIFF - SCHEDULE

Tariff Item	SS	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7219.22.90	--	-Other		Free	AUT, NZT, CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
	10	-----Of a width of 600 mm or more but not exceeding 1,830 mm .....	KGM		
	20	-----Of a width exceeding 1,830 mm .....	KGM		
<b>7219.23</b>		<b>--Of a thickness of 3 mm or more but less than 4.75 mm</b>			
7219.23.10	00	--For use in the manufacture of tubes or pipes	KGM	Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
7219.23.20	00	--Grade 316F, for use in the manufacture of screens for the pulp and paper industry	KGM	Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
7219.23.90	00	--Other	KGM	Free	AUT, NZT, CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
<b>7219.24</b>		<b>--Of a thickness of less than 3 mm</b>			
7219.24.10	--	--For use in the manufacture of tubes or pipes		Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
	10	-----Of a width of 600 mm or more but not exceeding 1,520 mm .....	KGM		
	20	-----Of a width exceeding 1,520 mm .....	KGM		
7219.24.90	--	-Other		Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
	10	-----Of a width of 600 mm or more but not exceeding 1,520 mm .....	KGM		
	20	-----Of a width exceeding 1,520 mm .....	KGM		
		<b>-Not further worked than cold-rolled (cold-reduced):</b>			
<b>7219.31</b>		<b>--Of a thickness of 4.75 mm or more</b>			
7219.31.10	--	--For use in the manufacture of tubes or pipes		Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
	10	-----300 Series .....	KGM		
	90	-----Other .....	KGM		
7219.31.90	--	-Other		Free	AUT, NZT, CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
	10	-----300 Series .....	KGM		
	90	-----Other .....	KGM		
<b>7219.32</b>		<b>--Of a thickness of 3 mm or more but less than 4.75 mm</b>			

## CUSTOMS TARIFF - SCHEDULE

Tariff Item	SS	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7219.32.10	--	-For use in the manufacture of tubes or pipes		Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		-----Of a width of 600 mm or more but not exceeding 1,250 mm:			
11	-----	Grade 304.....	KGM		
12	-----	Other 300 series.....	KGM		
19	-----	Other.....	KGM		
		-----Of a width exceeding 1,250 mm but not exceeding 1,525 mm:			
21	-----	Grade 304.....	KGM		
22	-----	Other 300 series.....	KGM		
29	-----	Other.....	KGM		
		-----Of a width exceeding 1,525 mm:			
31	-----	Grade 304.....	KGM		
32	-----	Other 300 series.....	KGM		
39	-----	Other.....	KGM		
7219.32.90	--	-Other		Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		-----Of a width of 600 mm or more but not exceeding 1,250 mm:			
11	-----	Grade 304.....	KGM		
12	-----	Other 300 series.....	KGM		
19	-----	Other.....	KGM		
		-----Of a width exceeding 1,250 mm but not exceeding 1,525 mm:			
21	-----	Grade 304.....	KGM		
22	-----	Other 300 series.....	KGM		
29	-----	Other.....	KGM		
		-----Of a width exceeding 1,525 mm:			
31	-----	Grade 304.....	KGM		
32	-----	Other 300 series.....	KGM		
39	-----	Other.....	KGM		
<b>7219.33</b>		<b>-Of a thickness exceeding 1 mm but less than 3 mm</b>			
7219.33.10	--	-Containing 30% or more by weight of nickel and 12% or more by weight of chromium, for use in Canadian manufactures		Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		-----Of a width of 600 mm or more but not exceeding 1,250 mm:			
11	-----	300 series.....	KGM		
19	-----	Other.....	KGM		
		-----Of a width exceeding 1,250 mm but not exceeding 1,525 mm:			
21	-----	300 series.....	KGM		
29	-----	Other.....	KGM		
		-----Of a width exceeding 1,525 mm:			
31	-----	300 series.....	KGM		
39	-----	Other.....	KGM		
7219.33.20	--	-Other, for use in the manufacture of tubes or pipes		Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		-----Of a width of 600 mm or more but not exceeding 1,250 mm:			
11	-----	Grade 304.....	KGM		
12	-----	Other 300 series.....	KGM		
19	-----	Other.....	KGM		
		-----Of a width exceeding 1,250 mm but not exceeding 1,525 mm:			

## CUSTOMS TARIFF - SCHEDULE

Tariff Item	SS	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
		21 -----Grade 304 .....	KGM		
		22 -----Other 300 series.....	KGM		
		29 -----Other .....	KGM		
		-----Of a width exceeding 1,525 mm:			
		31 -----Grade 304 .....	KGM		
		32 -----Other 300 series.....	KGM		
		39 -----Other .....	KGM		
7219.33.90	--	-Other		Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		-----Of a width of 600 mm or more but not exceeding 1,250 mm:			
		11 -----Grade 304 .....	KGM		
		12 -----Other 300 series.....	KGM		
		19 -----Other .....	KGM		
		-----Of a width exceeding 1,250 mm but not exceeding 1,525 mm:			
		21 -----Grade 304 .....	KGM		
		22 -----Other 300 series.....	KGM		
		29 -----Other .....	KGM		
		-----Of a width exceeding 1,525 mm:			
		31 -----Grade 304 .....	KGM		
		32 -----Other 300 series.....	KGM		
		39 -----Other .....	KGM		
<b>7219.34</b>		<b>--Of a thickness of 0.5 mm or more but not exceeding 1 mm</b>			
7219.34.10	--	-For use in the manufacture of tubes or pipes		Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		-----Of a width of 600 mm or more but not exceeding 1,250 mm:			
		11 -----Grade 304 .....	KGM		
		12 -----Other 300 series.....	KGM		
		19 -----Other .....	KGM		
		-----Of a width exceeding 1,250 mm but not exceeding 1,525 mm:			
		21 -----Grade 304 .....	KGM		
		22 -----Other 300 series.....	KGM		
		29 -----Other .....	KGM		
		-----Of a width exceeding 1,525 mm:			
		31 -----Grade 304 .....	KGM		
		32 -----Other 300 series.....	KGM		
		39 -----Other .....	KGM		
7219.34.90	--	-Other		Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		-----Of a width of 600 mm or more but not exceeding 1,250 mm:			
		11 -----Grade 304 .....	KGM		
		12 -----Other 300 series.....	KGM		
		19 -----Other .....	KGM		
		-----Of a width exceeding 1,250 mm but not exceeding 1,525 mm:			
		21 -----Grade 304 .....	KGM		
		22 -----Other 300 series.....	KGM		
		29 -----Other .....	KGM		
		-----Of a width exceeding 1,525 mm:			
		31 -----Grade 304 .....	KGM		

## CUSTOMS TARIFF - SCHEDULE

Tariff Item	SS	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
	32	-----Other 300 series .....	KGM		
	39	-----Other.....	KGM		
<b>7219.35</b>		<b>- -Of a thickness of less than 0.5 mm</b>			
7219.35.10		-- -For use in the manufacture of tubes or pipes		Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		-----Of a width of 600 mm or more but not exceeding 1,250 mm:			
	11	-----Grade 304.....	KGM		
	12	-----Other 300 series .....	KGM		
	19	-----Other.....	KGM		
		-----Of a width exceeding 1,250 mm but not exceeding 1,525 mm:			
	21	-----Grade 304.....	KGM		
	22	-----Other 300 series .....	KGM		
	29	-----Other.....	KGM		
		-----Of a width exceeding 1,525 mm:			
	31	-----Grade 304.....	KGM		
	32	-----Other 300 series .....	KGM		
	39	-----Other.....	KGM		
7219.35.90		-- -Other		Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		-----Of a width of 600 mm or more but not exceeding 1,250 mm:			
	11	-----Grade 304.....	KGM		
	12	-----Other 300 series .....	KGM		
	19	-----Other.....	KGM		
		-----Of a width exceeding 1,250 mm but not exceeding 1,525 mm:			
	21	-----Grade 304.....	KGM		
	22	-----Other 300 series .....	KGM		
	29	-----Other.....	KGM		
		-----Of a width exceeding 1,525 mm:			
	31	-----Grade 304.....	KGM		
	32	-----Other 300 series .....	KGM		
	39	-----Other.....	KGM		
<b>7219.90</b>		<b>-Other</b>			
7219.90.10	00	-- -Not clad, plated or coated, for use in the manufacture of tubes or pipes	KGM	Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
7219.90.90		-- -Other		Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
	10	-----Corrugated, cold-rolled, of a thickness not exceeding 4.75 mm .....	KGM		
		-----Other:			
	91	-----Corrugated.....	KGM		
	92	-----Perforated.....	KGM		
	99	-----Other.....	KGM		
<b>72.20</b>		<b>Flat-rolled products of stainless steel, of a width of less than 600 mm.</b>			
		<b>-Not further worked than hot-rolled:</b>			

## CUSTOMS TARIFF - SCHEDULE

Tariff Item	SS	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7220.11		- -Of a thickness of 4.75 mm or more			
7220.11.10		- - -For use in the manufacture of tubes or pipes		Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
	10	- - - -Of a thickness not exceeding 6.35 mm .....	KGM		
	20	- - - -Of a thickness exceeding 6.35 mm .....	KGM		
7220.11.90		- - -Other		Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
	10	- - - -Of a thickness not exceeding 6.35 mm .....	KGM		
	20	- - - -Of a thickness exceeding 6.35 mm .....	KGM		
7220.12		- -Of a thickness of less than 4.75 mm			
7220.12.10 00		- - -For use in the manufacture of tubes or pipes	KGM	Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
7220.12.90 00		- - -Other	KGM	Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
7220.20		- -Not further worked than cold-rolled (cold-reduced)			
7220.20.10		- - -Containing cobalt, of a width not exceeding 3 mm, for use in the manufacture of tags for electronic article surveillance systems; For use in the manufacture of thermionic, cold cathode or photo-cathode valves and tubes; Containing 30% or more by weight of nickel and 12% or more by weight of chromium, for use in Canadian manufactures; For use in the manufacture of cutlery; Of a thickness of less than 0.3 mm, for use in the manufacture of joint couplings for cast iron soil pipes of a diameter not exceeding 254 mm; Of a thickness not exceeding 4.75 mm, containing by weight 19% or more but not exceeding 26% of chromium, 3% or more but not exceeding 7% of aluminum and 0.5% or more but not exceeding 4% of cobalt; Type 304, of a thickness not exceeding 0.38 mm, for use in the manufacture of shutters for magnetic discs; Type 321 or containing by weight 18% or more but not exceeding 22% each of nickel and chromium, of a thickness not exceeding 2.3 mm, for use in the manufacture of tubes or pipes		Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		- - - -Containing by weight 19% or more but not exceeding 26% of chromium, 3% or more but not exceeding 7% of aluminum, and 0.5% or more but not exceeding 4% of cobalt, of a thickness not exceeding 4.75 mm:			
	11	- - - - -Skelp .....	KGM		
	19	- - - - -Other .....	KGM		
	20	- - - - -Type 304, of a thickness not exceeding 0.38 mm, for use in the manufacture of shutters for magnetic discs.....	KGM		
	30	- - - - -Type 321 or containing by weight 18% or more but not exceeding 22% each of nickel and chromium, of a thickness not exceeding 2.3 mm, for use in the manufacture of tubes or pipes .....	KGM		
		- - - - -Other:			
	91	- - - - -Of a thickness exceeding 4.75 mm .....	KGM		
	92	- - - - -Of a thickness not exceeding 4.75 mm .....	KGM		

## CUSTOMS TARIFF - SCHEDULE

Tariff Item	SS	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7220.20.20		--Other, for use in the manufacture of tubes or pipes		Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		----Of a thickness exceeding 4.75 mm:			
	11	----300 series .....	KGM		
	19	----Other .....	KGM		
		----Of a thickness not exceeding 4.75 mm:			
	21	----300 series .....	KGM		
	29	----Other .....	KGM		
7220.20.90		--Other		Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
	10	----Of a thickness exceeding 4.75 mm .....	KGM		
		----Of a thickness not exceeding 4.75 mm:			
	21	----Series 300 .....	KGM		
	29	----Other .....	KGM		
<b>7220.90</b>		<b>-Other</b>			
7220.90.10 00		--Containing 30% or more by weight of nickel and 12% or more by weight of chromium, for use in Canadian manufactures; For use in ships, boats or floating structures	KGM	Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
7220.90.90		--Other		Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
	10	----Perforated .....	KGM		
	90	----Other .....	KGM		
<b>7221.00.00</b>		<b>Bars and rods, hot-rolled, in irregularly wound coils, of stainless steel.</b>		Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		----Rounds:			
	11	----300 Series .....	KGM		
	19	----Other .....	KGM		
	20	----Wire rod .....	KGM		
	90	----Other .....	KGM		
<b>72.22</b>		<b>Other bars and rods of stainless steel; angles, shapes and sections of stainless steel.</b>			
		<b>-Bars and rods, not further worked than hot-rolled, hot-drawn or extruded:</b>			
<b>7222.11.00</b>		<b>--Of circular cross-section</b>		Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		----High nickel alloy steel:			
	11	----With a diameter of 25 mm or more .....	KGM		
	12	----With a diameter of less than 25 mm .....	KGM		
		----Other:			
	21	----With a diameter of 25 mm or more .....	KGM		

## CUSTOMS TARIFF - SCHEDULE

Tariff Item	SS	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
		22 - - - - -With a diameter of less than 25 mm.....	KGM		
<b>7222.19.00</b>		<b>--Other</b>		Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		- - - - -High nickel alloy steel:			
		11 - - - - -Flat bars .....	KGM		
		19 - - - - -Other shapes.....	KGM		
		- - - - -Other:			
		21 - - - - -Flat bars .....	KGM		
		29 - - - - -Other shapes.....	KGM		
<b>7222.20</b>		<b>-Bars and rods, not further worked than cold-formed or cold-finished</b>			
7222.20.10		--For use in the manufacture of drill pipe, casing or tubing, or fittings, couplings, thread protectors or nipples therefor, for natural gas or oil wells		Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		- - - - -High nickel alloy steel:			
		11 - - - - -Rounds with a diameter of 25 mm or more .....	KGM		
		12 - - - - -Rounds with a diameter of less than 25 mm .....	KGM		
		13 - - - - -Flat bars .....	KGM		
		19 - - - - -Other shapes.....	KGM		
		- - - - -Other:			
		21 - - - - -Rounds with a diameter of 25 mm or more .....	KGM		
		22 - - - - -Rounds with a diameter of less than 25 mm .....	KGM		
		23 - - - - -Flat bars .....	KGM		
		29 - - - - -Other shapes.....	KGM		
7222.20.90		--Other		Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		- - - - -High nickel alloy steel:			
		11 - - - - -Rounds with a diameter of 25 mm or more .....	KGM		
		12 - - - - -Rounds with a diameter of less than 25 mm .....	KGM		
		13 - - - - -Flat bars .....	KGM		
		19 - - - - -Other shapes.....	KGM		
		- - - - -Other:			
		21 - - - - -Rounds with a diameter of 25 mm or more .....	KGM		
		22 - - - - -Rounds with a diameter of less than 25 mm .....	KGM		
		23 - - - - -Flat bars .....	KGM		
		29 - - - - -Other shapes.....	KGM		
<b>7222.30.00</b>		<b>-Other bars and rods</b>		Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		- - - - -High nickel alloy steel, forged:			
		11 - - - - -Rounds.....	KGM		
		12 - - - - -Flats .....	KGM		
		19 - - - - -Other .....	KGM		
		- - - - -Other, forged:			
		21 - - - - -Rounds.....	KGM		
		22 - - - - -Flats .....	KGM		
		29 - - - - -Other .....	KGM		
		90 - - - - -Other .....	KGM		

## CUSTOMS TARIFF - SCHEDULE

Tariff Item	SS	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7222.40.00		-Angles, shapes and sections		Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		----Not further worked than hot-rolled or cold-rolled:			
	11	----L sections.....	KGM		
	12	----H or I sections.....	KGM		
	13	----U sections.....	KGM		
	19	----Other.....	KGM		
		----Other:			
	91	----L sections.....	KGM		
	92	----H or I sections.....	KGM		
	93	----U sections.....	KGM		
	99	----Other.....	KGM		
<b>7223.00</b>		<b>Wire of stainless steel.</b>			
		--Not coated or covered:			
7223.00.11 00		---Containing by weight 19% or more but not exceeding 26% of chromium, 3% or more but not exceeding 7% of aluminum and 0.5% or more but not exceeding 4% of cobalt	KGM	Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
7223.00.19 00		---Other	KGM	Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
7223.00.20 00		---Coated or covered	KGM	Free	AUT, NZT, CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
<b>IV. -OTHER ALLOY STEEL; HOLLOW DRILL BARS AND RODS, OF ALLOY OR NON-ALLOY STEEL</b>					
<b>72.24</b>		<b>Other alloy steel in ingots or other primary forms; semi-finished products of other alloy steel.</b>			
<b>7224.10.00</b>		<b>-Ingots and other primary forms</b>		Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
	10	----High speed or mold steel.....	TNE		
	90	----Other.....	TNE		
<b>7224.90</b>		<b>-Other</b>			
7224.90.10		--Blooms, billets, rounds, slabs and sheet bars		Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
	10	----High speed or mold steel.....	TNE		
	90	----Other.....	TNE		

## CUSTOMS TARIFF - SCHEDULE

Tariff Item	SS	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7224.90.90	00	--Other	TNE	Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
<b>72.25</b>		<b>Flat-rolled products of other alloy steel, of a width of 600 mm or more.</b>			
		<b>-Of silicon-electrical steel:</b>			
<b>7225.11.00</b>		<b>--Grain-oriented</b>		Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
	10	----Cold-rolled or cold-drawn, of a thickness not exceeding 4.75 mm.....	KGM		
	90	----Other .....	KGM		
<b>7225.19.00</b>		<b>--Other</b>		Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
	10	----Cold-rolled or cold-drawn, of a thickness not exceeding 4.75 mm.....	KGM		
	90	----Other .....	KGM		
<b>7225.30</b>		<b>-Other, not further worked than hot-rolled, in coils</b>			
7225.30.20	00	--Of high speed steel	KGM	Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		--Other:			
7225.30.91	00	---Not further manufactured than cut to shape, without indented edges, not hardened, tempered nor ground, for use in the manufacture of saws	KGM	Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
7225.30.99	00	----Other	KGM	Free	AUT, NZT, CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
<b>7225.40</b>		<b>-Other, not further worked than hot-rolled, not in coils</b>			
7225.40.30	00	--Of high speed steel	KGM	Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		---Other:			
7225.40.91		----For use in ships, boats or floating structures; Without indented edges, whether or not hardened, tempered or ground, for use in the manufacture of saws		Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
	10	----Of a width of 600 mm or more but not exceeding 1,525 mm .....	KGM		
	20	----Of a width exceeding 1,525 mm but not exceeding 1,830 mm .....	KGM		
	30	----Of a width exceeding 1,830 mm but not exceeding 2,450 mm .....	KGM		

## CUSTOMS TARIFF - SCHEDULE

Tariff Item	SS	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
	40	-----Of a width exceeding 2,450 mm.....	KGM		
7225.40.99		----Other		Free	AUT, NZT, CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		----Heat treated:			
	11	-----Mold steel .....	KGM		
	19	-----Other.....	KGM		
		----Other, tool steel:			
	21	-----Of a thickness not exceeding 4.75 mm.....	KGM		
	22	-----Of a thickness exceeding 4.75 mm.....	KGM		
		----Other:			
	91	-----Of a width of 600 mm or more but not exceeding 1,525 mm.....	KGM		
	92	-----Of a width exceeding 1,525 mm but not exceeding 1,830 mm.....	KGM		
	93	-----Of a width exceeding 1,830 mm but not exceeding 2,450 mm.....	KGM		
	94	-----Of a width exceeding 2,450 mm .....	KGM		
<b>7225.50</b>		<b>-Other, not further worked than cold-rolled (cold-reduced)</b>			
7225.50.20	00	--Of high speed steel	KGM	Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		--Other:			
7225.50.91	00	---For use in ships, boats or floating structures	KGM	Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
7225.50.99		----Other		Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		----Of a thickness not exceeding 4.75 mm:			
	11	-----Tool steel.....	KGM		
	19	-----Other.....	KGM		
		----Of thickness exceeding 4.75 mm:			
	21	-----Tool steel.....	KGM		
	29	-----Other.....	KGM		
		<b>-Other:</b>			
<b>7225.91.00</b>	00	<b>-Electrolytically plated or coated with zinc</b>	KGM	Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
<b>7225.92.00</b>	00	<b>-Otherwise plated or coated with zinc</b>	KGM	Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
<b>7225.99.00</b>		<b>-Other</b>		Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
	10	----Plated or coated with aluminum.....	KGM		
	90	----Other.....	KGM		

## CUSTOMS TARIFF - SCHEDULE

Tariff Item	SS	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
72.26		<b>Flat-rolled products of other alloy steel, of a width of less than 600 mm.</b>			
		<b>-Of silicon-electrical steel:</b>			
7226.11.00	00	--Grain-oriented	KGM	Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
7226.19.00		--Other		Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
	10	----Cold-rolled, of a thickness not exceeding 4.75 mm.....	KGM		
	90	----Other .....	KGM		
7226.20.00		<b>-Of high speed steel</b>		Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
	10	----Cold-rolled, of a thickness not exceeding 4.75 mm.....	KGM		
		----Other:			
	91	----Of a thickness not exceeding 4.75 mm.....	KGM		
	92	----Of a thickness exceeding 4.75 mm .....	KGM		
		<b>-Other:</b>			
7226.91		<b>--Not further worked than hot-rolled</b>			
7226.91.10	00	--Without indented edges, not hardened, tempered nor ground, for use in the manufacture of saws	KGM	Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
7226.91.90		--Other		Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
	10	----Flat grader blade sections .....	KGM		
	20	----Mold steel.....	KGM		
	30	----Tool steel of a thickness not exceeding 4.75 mm.....	KGM		
	40	----Tool steel of a thickness exceeding 4.75 mm.....	KGM		
	90	----Other .....	KGM		
7226.92		<b>--Not further worked than cold-rolled (cold-reduced)</b>			
7226.92.10	00	--The following, of a thickness not exceeding 4.75 mm:	KGM	Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		Containing 40% or more by weight of nickel and produced to specification ASTM A 753-85, for use in the manufacture of laminations or cores for telecommunication transformers;			
		For use in the manufacture of knitting machine needles			

## CUSTOMS TARIFF - SCHEDULE

Tariff Item	SS	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7226.92.90	--	-Other		Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		-----Of a thickness not exceeding 4.75 mm:			
	11	-----Tool steel.....	KGM		
	19	-----Other.....	KGM		
		-----Of a thickness exceeding 4.75 mm:			
	21	-----Tool steel.....	KGM		
	29	-----Other.....	KGM		
<b>7226.99</b>	<b>--</b>	<b>-Other</b>			
7226.99.20 00	--	-Plated or coated with zinc	KGM	Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		--Other:			
7226.99.91 00	--	-Not further manufactured than cut to shape, without indented edges, not hardened, tempered nor ground, for use in the manufacture of saws; Of a thickness not exceeding 5 mm, with cutting edge on one or both sides, for use in the manufacture of cutting dies	KGM	Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
7226.99.99 00	--	-Other	KGM	Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
<b>72.27</b>		<b>Bars and rods, hot-rolled, in irregularly wound coils, of other alloy steel.</b>			
<b>7227.10.00 00</b>		<b>-Of high speed steel</b>	KGM	Free	AUT, NZT, CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
<b>7227.20.00 00</b>		<b>-Of silico-manganese steel</b>	KGM	Free	AUT, NZT, CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
<b>7227.90</b>		<b>-Other</b>			
7227.90.10 00	--	-Of a diameter not exceeding 9.525 mm, for use in the manufacture of wire	KGM	Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
7227.90.90	--	-Other		Free	AUT, NZT, CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
	10	-----Wire rods.....	KGM		
		-----Other:			
	91	-----Flat bars.....	KGM		
	92	-----Rounds.....	KGM		
	93	-----Squares.....	KGM		
	99	-----Other.....	KGM		

## CUSTOMS TARIFF - SCHEDULE

Tariff Item	SS	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
72.28		<b>Other bars and rods of other alloy steel; angles, shapes and sections, of other alloy steel; hollow drill bars and rods, of alloy or non-alloy steel.</b>			
7228.10		<b>-Bars and rods, of high speed steel</b>			
7228.10.10	00	-- -To specification AISI type M1, M2, M4, M7, M42 or T15, not further manufactured than centreless ground or peeled, for use in the manufacture of tools of heading 82.07, for metal working hand tools or for metal working machine-tools	KGM	Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		-- -Other:			
7228.10.91	00	--- -Not further worked than hot-rolled	KGM	Free	AUT, NZT, CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
7228.10.99	00	--- -Other	KGM	Free	AUT, NZT, CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
7228.20		<b>-Bars and rods, of silico-manganese steel</b>			
7228.20.10		-- -Not further worked than hot-rolled		Free	AUT, NZT, CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		10 --- -Flat bars .....	KGM		
		20 --- -Rounds .....	KGM		
		30 --- -Squares .....	KGM		
		90 --- -Other .....	KGM		
7228.20.90		-- -Other		Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		10 --- -Cold-drawn or cold-finished.....	KGM		
		90 --- -Other .....	KGM		
7228.30		<b>-Other bars and rods, not further worked than hot-rolled, hot-drawn or extruded</b>			
7228.30.10		-- -For use in ships, boats or floating structures; Grouser bars, in mill lengths, for use in the manufacture of track shoes for track-laying tractors, loaders or excavators		Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		---- -Flat bars:			
		11 ---- -Mold steel .....	KGM		
		12 ---- -Tool steel .....	KGM		
		19 ---- -Other .....	KGM		
		---- -Rounds:			
		21 ---- -Mold steel .....	KGM		
		22 ---- -Tool steel .....	KGM		
		29 ---- -Other .....	KGM		
		---- -Squares:			

## CUSTOMS TARIFF - SCHEDULE

Tariff Item	SS	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
		31 -----Mold steel .....	KGM		
		32 -----Tool steel.....	KGM		
		39 -----Other.....	KGM		
		-----Other:			
		91 -----Mold steel .....	KGM		
		92 -----Tool steel.....	KGM		
		99 -----Other.....	KGM		
7228.30.90	--	-Other		Free	AUT, NZT, CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		-----Flat bars:			
		11 -----Mold steel .....	KGM		
		12 -----Tool steel.....	KGM		
		19 -----Other.....	KGM		
		-----Rounds:			
		21 -----Mold steel .....	KGM		
		22 -----Tool steel.....	KGM		
		29 -----Other.....	KGM		
		-----Squares:			
		31 -----Mold steel .....	KGM		
		32 -----Tool steel.....	KGM		
		39 -----Other.....	KGM		
		-----Other:			
		91 -----Mold steel .....	KGM		
		92 -----Tool steel.....	KGM		
		99 -----Other.....	KGM		
<b>7228.40.00</b>		<b>-Other bars and rods, not further worked than forged</b>		Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		10 -----Mold steel.....	KGM		
		20 -----Tool steel.....	KGM		
		90 -----Other.....	KGM		
<b>7228.50</b>		<b>-Other bars and rods, not further worked than cold-formed or cold-finished</b>			
7228.50.10 00	--	-For use in the manufacture of drill pipe, casing or tubing, or fittings, couplings, thread protectors or nipples therefor, for natural gas or oil wells; For use in the manufacture of rifles for the Government of Canada	KGM	Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
7228.50.90	--	-Other		Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		10 -----Mold steel.....	KGM		
		20 -----Tool steel.....	KGM		
		90 -----Other.....	KGM		
<b>7228.60.00</b>		<b>-Other bars and rods</b>		Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		10 -----Mold steel.....	KGM		
		20 -----Tool steel.....	KGM		

## CUSTOMS TARIFF - SCHEDULE

Tariff Item	SS	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
		90 - - - - <i>Other</i> .....	KGM		
<b>7228.70</b>		<b>-Angles, shapes and sections</b>			
7228.70.10		-- -For use in ships, boats or floating structures; H sections, of a height of less than 150 mm, for use in the manufacture of mine arches; The following, not further worked than hot-rolled, cold-rolled, drawn or extruded and for use in the manufacture of cutting edges for bulldozer or angledozer blades, front-end shovel loader buckets, combination excavating and transporting scrapers, road graders and road scrapers: Shapes or sections with bevelled edge or edges, of a length exceeding 3.65 m and either of exceeding 25.4 cm or of a thickness exceeding 3.5 cm; Semi-arrowhead shapes or sections, of a length exceeding 3.65 m and a width exceeding 20.3 cm; Track shoe profile bars of steel, of a width of 190 mm or more but not exceeding 350 mm and of a height not exceeding 150 mm, for use in the manufacture of track shoes for track-laying machinery or vehicles; U, I, or H sections, hot-rolled, cold-rolled, hot-formed, not further manufactured than sand-blasted or coated with primer, for use in the manufacture of masts for fork-lift trucks - - - - <i>L sections, not further worked than hot-rolled, cold-rolled, drawn or extruded:</i> 11 - - - - <i>Equal legs</i> ..... KGM 12 - - - - <i>Unequal legs</i> ..... KGM - - - - <i>Wide flange H sections, not further worked than hot-rolled, cold-rolled, drawn or extruded:</i> 21 - - - - <i>Of a height not exceeding 150 mm</i> ..... KGM 22 - - - - <i>Of a height exceeding 150 mm</i> ..... KGM 30 - - - - <i>Other H sections, not further worked than hot-rolled, cold-rolled, drawn or extruded</i> ..... KGM - - - - <i>I sections, not further worked than hot-rolled, cold-rolled, drawn or extruded:</i> 41 - - - - <i>American standard of a height not exceeding 150 mm</i> ..... KGM 42 - - - - <i>American standard of a height exceeding 150 mm</i> ..... KGM 49 - - - - <i>Other</i> ..... KGM 50 - - - - <i>U sections, not further worked than hot-rolled, cold-rolled, drawn or extruded</i> ..... KGM 60 - - - - <i>T sections, not further worked than hot-rolled, cold-rolled, drawn or extruded</i> ..... KGM 70 - - - - <i>Z sections, not further worked than hot-rolled, cold-rolled, drawn or extruded</i> ..... KGM - - - - <i>Other shapes or sections, not further worked than hot-rolled, cold-rolled, drawn or extruded:</i> 81 - - - - <i>Bearing pile</i> ..... KGM 82 - - - - <i>Curved grader blade sections</i> ..... KGM 83 - - - - <i>Track shoe profile bars of steel, of a width of 190 mm or more but not exceeding 350 mm and of a height not exceeding 150 mm, for use in the manufacture of track shoes for track-laying machinery or vehicles</i> KGM 89 - - - - <i>Other</i> ..... KGM 90 - - - - <i>Other</i> ..... KGM	Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free	
7228.70.90		-- -Other		Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free

## CUSTOMS TARIFF - SCHEDULE

Tariff Item	SS	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
		-----L sections, not further worked than hot-rolled, cold-rolled, drawn or extruded:			
	11	-----Equal legs.....	KGM		
	12	-----Unequal legs.....	KGM		
		-----Wide flange H sections, not further worked than hot-rolled, cold-rolled, drawn or extruded:			
	21	-----Of a height not exceeding 150 mm.....	KGM		
	22	-----Of a height exceeding 150 mm.....	KGM		
	30	-----Other H sections, not further worked than hot-rolled, cold-rolled, drawn or extruded.....	KGM		
		-----I sections, not further worked than hot-rolled, cold-rolled, drawn or extruded:			
	41	-----American standard of a height not exceeding 150 mm.....	KGM		
	42	-----American standard of a height exceeding 150 mm.....	KGM		
	49	-----Other.....	KGM		
	50	-----U sections, not further worked than hot-rolled, cold-rolled, drawn or extruded.....	KGM		
	60	-----T sections, not further worked than hot-rolled, cold-rolled, drawn or extruded.....	KGM		
	70	-----Z sections, not further worked than hot-rolled, cold-rolled, drawn or extruded.....	KGM		
		-----Other shapes or sections, not further worked than hot-rolled, cold-rolled, drawn or extruded:			
	81	-----Bearing pile.....	KGM		
	82	-----Curved grader blade sections.....	KGM		
	89	-----Other.....	KGM		
		-----Other:			
	91	-----L sections.....	KGM		
	92	-----H or I sections.....	KGM		
	93	-----U sections.....	KGM		
	99	-----Other.....	KGM		
<b>7228.80.00</b>		<b>-Hollow drill bars and rods</b>		Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		-----Not further worked than hot-rolled:			
	11	-----Round, alloy steel.....	KGM		
	12	-----Round, non-alloy steel.....	KGM		
	18	-----Other, alloy steel.....	KGM		
	19	-----Other.....	KGM		
		-----Other:			
	91	-----Round, alloy steel.....	KGM		
	92	-----Round, non-alloy steel.....	KGM		
	98	-----Other, alloy steel.....	KGM		
	99	-----Other.....	KGM		
<b>72.29</b>		<b>Wire of other alloy steel.</b>			
<b>7229.20.00 00</b>		<b>-Of silico-manganese steel</b>	KGM	Free	AUT, NZT, CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
<b>7229.90</b>		<b>-Other</b>			

## CUSTOMS TARIFF - SCHEDULE

Tariff Item	SS	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7229.90.20	00	-- -Of high speed steel	KGM	Free	CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		-- -Other:			
7229.90.91		--- -Cold-rolled, for use in the manufacture of knitting machine needles; Cold-drawn, of a diameter of 1.524 mm or more but not exceeding 3.175 mm, with a chromium content of 2.75% or more but not exceeding 3.25% and a molybdenum content of 0.45% or more but not exceeding 0.65%; Round, to specification SAE 50100 or SAE 52100-1, for use in the manufacture of cylindrical needle rollers for needle roller bearings		Free	CCCT, LDCT, GPT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		---- -Not coated or covered:			
		11 ---- -Cold heading and forging quality.....	KGM		
		19 ---- -Other .....	KGM		
		20 ---- -Coated or covered.....	KGM		
7229.90.99		--- -Other		Free	AUT, NZT, CCCT, LDCT, UST, MT, MUST, CIAT, CT, CRT, IT, NT, SLT, PT: Free
		---- -Not coated or covered:			
		11 ---- -Cold heading and forging quality.....	KGM		
		19 ---- -Other .....	KGM		
		20 ---- -Coated or covered.....	KGM		